

# A Report on Key Substance Abuse Indicators



Prepared for:

Alliance for Wisconsin Youth  
Southeastern Regional Center

July 2009



Planning Council for Health and Human Services, Inc.  
1442 North Farwell Avenue, Suite 300, Milwaukee, WI 53202-2913  
(414) 224-0404 FAX (414)224-0243 [www.planningcouncil.org](http://www.planningcouncil.org)  
Member of the National Association of Planning Councils

## Background on Southeastern Regional Prevention Center

Regional Prevention Centers provide input to the Wisconsin Department of Health Services (DHS) Division of Mental Health and Substance Abuse Services (DMHSAS) on how to improve statewide capacity for the delivery of evidence-based substance abuse prevention services among local Alliance for Wisconsin Youth (AWY) coalitions. Regional Centers work with Alliance coalitions to foster collaboration, build the capacity of coalitions, and strengthen prevention efforts.

Goals for the 2008-2009 state fiscal year, set by the Southeastern Regional Center, were to increase dialogue among prevention organizations and coalitions within the region, examine data on the substance use and adverse consequences of substance use, and coordinate prevention activities and resources.

Listed below are representatives of the Southeastern Regional Center.

<u>County</u>	<u>Representatives</u>
Jefferson	Monica Wagner, Delinquency Prevention Council
Kenosha	Patricia Demos, Kenosha County Coalition Nancy Morey, Prevention Services Network
Milwaukee	Dave Knutson, Boys & Girls Clubs of Greater Milwaukee Tasha Jenkins, Fighting, Back, Inc. Duncan Shrout, IMPACT, Inc. Paul Priester, CESA #1
Ozaukee	Gail Bruss, (Starting Point of) Ozaukee Council, Inc.
Racine	Francie McGuire Winkler and Seth Kuranz, FOCUS on Community
Walworth	Anne Landis, Turtle Creek Elementary School
Washington	Mary Simon, Council on AODA
Waukesha	Claudia Roska and Brianna Duffy, Addiction Resource Council Ellen Shiflet and Irene Secora, Waukesha County U.W. Extension

## About This Report

The Planning Council prepared this report under contract with Fighting Back, Inc., for the Alliance for Wisconsin Youth Southeastern Regional Center. The Southeastern Regional Center is a network of drug prevention organizations from Jefferson, Kenosha, Milwaukee, Ozaukee, Racine, Walworth, Washington, and Waukesha counties working together to prevent alcohol, tobacco and other drug abuse (ATODA) among youth and their parents in Southeastern Wisconsin.

This report is the second in a series of reports examining demographic and substance abuse data in Southeastern Wisconsin. The first report, containing demographic information, was released in July of 2008 and can be accessed at the following web address: [http://www.planningcouncil.org/docs/reports/atoda/Demographic\\_Profiles\\_Report\\_080717.pdf](http://www.planningcouncil.org/docs/reports/atoda/Demographic_Profiles_Report_080717.pdf). This is organized in two major sections. The first section provides general information about substance abuse at the state level. The second section provides an analysis of information collected on substance abuse in the Southeastern Region and its comprising counties. Lastly, information from Wisconsin public health profiles is provided for the eight counties comprising the Southeastern Region.

This report is intended to:

- Highlight indicators on substance abuse and examine the Southeastern Region and its comprising counties in the context of those indicators;
- Share information that could lead to focused community planning around substance abuse as a way to establish regional and county priorities for alcohol, tobacco, and other drug prevention; and
- Look at the cross-system impact and burden that result from substance abuse (with particular emphasis on the corrections and hospital systems).

## About the Data

Community level indicators are measures for understanding the well-being of a community and can be helpful tools that guide practice and policy decisions. This report presents a set of indicators on substance abuse. Some indicators in this report are widely accepted. Other indicators have been developed by prevention practitioners who are part of the Southeastern Regional Center. These practitioners maintain that the indicators presented in this report are meaningful measures to understand the scope of substance abuse problems Southeastern Wisconsin. Key indicators listed in this report are identified below with information on the source of the data. As requested by the practitioners, this report focuses on consequence data, or indicators that show the negative impact of substance abuse.

**Core Measure Data:** The Center for Substance Abuse Prevention (CSAP) developed core measures as way to gauge youth risk for substance abuse. Core measure data assesses past 30-day use, the age of onset, the perception of risk, and perception of parental disapproval.

**Drug and Operating While Intoxicated Arrests:** This indicator was selected by Representatives from the Southeastern Regional Center. The Office of Justice Assistance collects information on Operating While Intoxicated (OWI) arrests.

**Alcohol-Related Emergency Room Department Visits:** This indicator was selected by Representatives from the Southeastern Regional Center. The Wisconsin Hospital Association collects information on the number of people visiting emergency room departments at hospitals where alcohol was a contributing cause of an injury.

**Substance Abuse Treatment Admissions:** This indicator was selected by Representatives from the Southeastern Regional Center. The Wisconsin Department of Health Services collects information on the number of people admitted into State-funded substance abuse treatment facilities.

## **About the Planning Council**

This report was prepared by the Planning Council for Health and Human Services, Inc. (Planning Council), which promotes community planning as a systematic way of viewing community issues and developing planned solutions to address those issues.

The Planning Council is an independent, non-profit research and planning organization that has been operating in Southeastern Wisconsin since 1965. The Planning Council has extensive experience in stakeholder engagement, strategic planning, program evaluation, survey design, data collection, and data analysis of both quantitative and qualitative data.

For more information about this report or to learn more about our work, please contact Quinton Cotton at (414) 224-0404 or qcotton@planningcouncil.org.

## **Acknowledgements**

We would like to thank our partners in Jefferson, Kenosha, Milwaukee, Ozaukee, Racine, Walworth, Washington, and Waukesha counties for their work to prevent alcohol, tobacco and other drug abuse. Funding for this project was made available by the Alliance for Wisconsin Youth Southeastern Regional Center.

The following Planning Council staff members contributed to this project: Quinton D. Cotton, M.S.S.A., Associate Planner; Erin Malcolm, M.A.P.S., Assistant Researcher; Susan Tragesser, B.A., Data and Information Specialist; Carol Johnson, M.A., Director of Planning; Lisa Larson, Ph.D., Research Director; Lonna Kruse, B.A., Assistant Planner; Kathleen Pritchard, Ph.D., Executive Director; Brian Schweigl, Katie Grafelman, Neil Mrkvicka and Mark Rice, graduate student interns from the University of Wisconsin Milwaukee; and Kelly Bolter, undergraduate student intern from Marquette University.

*The Planning Council for Health and Human Services, Inc.,  
is a non-profit organization serving Southeastern Wisconsin.  
Its mission is to advance community health and human  
services through planning, evaluation, and research.*

# Table of Contents

Background on Southeastern Regional Prevention Center .....	i
About This Report .....	ii
About the Data .....	ii
About the Planning Council.....	iv
Acknowledgements.....	iv
Table of Contents.....	v
Southeastern Region .....	1
Core Measure Data .....	1
Proportion of Students Who Reported Having Never Used Each Substance .....	2
Regional Comparisons: Alcohol .....	2
Regional Comparisons: Cigarettes/Tobacco.....	3
Regional Comparisons: Marijuana .....	5
Proportion of Students Who Reported Past 30-Day Use of Each Substance .....	7
Regional Comparisons: Alcohol .....	7
Regional Comparisons: Cigarettes/Tobacco.....	8
Regional Comparisons: Marijuana .....	10
Alcohol-Related Emergency Room Visits.....	13
Substance Abuse Treatment Facility Admissions .....	15
Substance Related Arrests.....	17
Jefferson County Profile.....	23
Kenosha County Profile .....	25
Milwaukee County Profile .....	26
Ozaukee County Profile .....	28
Racine County Profile .....	30
Walworth County Profile .....	32
Washington County Profile .....	33
Waukesha County Profile .....	35

## Appendices

- Appendix A: Tables for Southeastern Region
- Appendix B: Tables for Jefferson County
- Appendix C: Tables for Kenosha County
- Appendix D: Tables for Milwaukee County
- Appendix E: Tables for Ozaukee County
- Appendix F: Tables for Racine County
- Appendix G: Tables for Walworth County
- Appendix H: Tables for Washington County
- Appendix I: Tables for Waukesha County

## Southeastern Region

The regional profile examines the use of alcohol, tobacco/cigarettes, and marijuana among youth in each county. In addition, the profile examines data related to adverse consequences of substance use. Data in this section includes core measure data, alcohol-related emergency room visits, admissions to substance abuse treatment facilities, and operating while intoxicated arrests. Each section contains a narrative, data tables, and observations drawn from the data.

### Core Measure Data

Through the Substance Abuse and Mental Health Services Administration (SAMHSA), the Center for Substance Abuse Prevention (CSAP) sets standards and provides guidance to prevention practitioners evaluating substance use prevention programs. CSAP provides information on what measures and tools are acceptable for prevention practitioners to use when determining program outcomes.

Six of the eight counties that comprise the Southeastern Region participate in the Drug Free Communities Support Program, a federal program designed for local communities to address substance abuse problems. As part of this program, communities are required to report on their progress using measures accepted by CSAP. The measures commonly referred to as the core measures include past 30-day use, age of onset, perception of risk, and perception of parental disapproval.

For purposes of the present report, counties were asked to provide recent core measure data to create a regional profile. Table 1 lists counties that provided core measure data. The table includes information on tools used to gather the data, the number of schools that surveyed students in each county, the school year the survey was administered, and the grade level of students who participated in the survey.

**Table 1: Information on core measure data**

County	Survey	Number of Schools Surveying Students	Year	Grades
Jefferson	Search Institute	14	2008 – 2009	7 – 12
Milwaukee	Youth Risk Behavior Survey	45	2007 – 2008	6 – 8
		38	2007 – 2008	9 – 12
Ozaukee	Pride Survey	3	2008 – 2009	6 – 12
Racine	Internal Tool	4	2007 – 2008	7 – 12
Washington	Internal Tool	9	2007 – 2008	7 – 8
		1	2006 – 2007	9 – 12

Five counties in the Southeastern Region provided core measure data. Some data was available as summary data and some data was available in detail. Two specific items were determined to be comparable across counties. This section includes data on past 30-day use and the number of students who reported never using a substance (i.e., alcohol, tobacco, and marijuana). The data is grouped by substance and by grade.<sup>1</sup>

<sup>1</sup> Item level data was not available separately by gender for all five counties. As a result, the regional profile combines data from boys and girls. Where available, any notable gender differences are highlighted in the county specific profiles.

## Proportion of Students Who Reported Having Never Used Each Substance

### Regional Comparisons: Alcohol

**Table 2: Percent and number of students who reported having never used alcohol**

Grade Level	Jefferson County	Milwaukee County	Ozaukee County	Racine County	Washington County
<b>7th Grade</b>	59.8% (n=451)	N/A	N/A	67.5% (n=266)	73.5% (n=241)
<b>8th Grade</b>	49.7% (n=387)	N/A	N/A	49.9% (n=231)	61.3% (n=106)
<b>9th Grade</b>	36.8% (n=328)	39.7% (n=127)	N/A	39.7% (n=279)	43.5% (n=67)
<b>10th Grade</b>	27.7% (n=241)	30.1% (n=179)	N/A	30.2% (n=187)	33.3% (n=19)
<b>11th Grade</b>	24.9% (n=207)	33.7% (n=183)	N/A	19.3% (n=103)	20.7% (n=24)
<b>12th Grade</b>	14.9% (n=120)	29.7% (n=116)	N/A	19.8% (n=93)	7.9% (n=5)

Total Ns differ by grade in each county. Total Ns range from 754 to 892 for Jefferson County, from 320 to 595 for Milwaukee County, from 394 to 703 for Racine County, and from 57 to 328 for Washington County. N/A indicates that survey data or reports were not provided or were unavailable.

In each county, the proportion of students who reported having *never* used alcohol generally decreased at each grade level as more students began to try their first drink. However, counties varied with respect to which grade intervals exhibited the most notable differences. Specifically:

- For Jefferson County, the most notable difference was apparent between 8th graders (50%) and 9th graders (37%).
- For Milwaukee County, the most notable difference was apparent between 9th graders (40%) and 10th graders (30%).
- For Racine County, the most notable difference was apparent between 7th graders (68%) and 8th graders (50%).
- For Washington County, the most notable difference was apparent between 8th graders (61%) and 9th graders (44%).

Within each grade level, counties varied in the proportion of students who reported having *never* used alcohol. Specifically:

- For 7th graders, a larger proportion of students who had never used was apparent in Washington County (74%), and a smaller proportion was apparent in Jefferson County (60%).
- For 8th graders, a larger proportion of students who had never used was apparent in Washington County (61%), and a smaller proportion was apparent in Jefferson County (50%).



- For 9th graders, a larger proportion of students who had never used was apparent in Washington County (44%), and a smaller proportion was apparent in Jefferson County (37%).
- The proportion of 10th graders who had never used was reasonably similar across counties (close to 30% in each county).
- For 11th graders, a larger proportion of students who had never used was apparent in Milwaukee County (34%), and a smaller proportion was apparent in Racine County (19%).<sup>2</sup>
- For 12th graders, a larger proportion of students who had never used was apparent in Milwaukee County (30%), and a smaller proportion was apparent in Washington County (8%).

**Regional Comparisons: Cigarettes/Tobacco**

**Table 3: Percent and number of students who reported having never used cigarettes/tobacco**

Grade Level	Jefferson County	Milwaukee County	Ozaukee County	Racine County	Washington County
7th Grade	90.2% (n=683)	N/A	N/A	85.0% (n=334)	94.3% (n=315)
8th Grade	81.7% (n=635)	N/A	N/A	74.4% (n=345)	90.8% (n=158)
9th Grade	74.1% (n=664)	66.8% (n=195)	N/A	69.7% (n=492)	80.8% (n=126)
10th Grade	68.8% (n=601)	70.7% (n=399)	N/A	64.5% (n=399)	57.9% (n=33)
11th Grade	63.9% (n=533)	68.5% (n=343)	N/A	58.1% (n=312)	55.9% (n=66)
12th Grade	48.6% (n=392)	65.0% (n=228)	N/A	56.0% (n=263)	46.0% (n=29)

Total Ns differ by grade in each county. Total Ns range from 757 to 896 for Jefferson County, from 292 to 564 for Milwaukee County, from 393 to 706 for Racine County, and from 57 to 334 for Washington County. N/A indicates that survey data or reports were not provided or were unavailable.

In each county, the proportion of students who reported having *never* used cigarettes/tobacco generally decreased at each grade level. However, counties varied with respect to which grade intervals exhibited the most notable differences. Specifically:

- For Jefferson County, the most notable difference was apparent between 11th graders (64%) and 12th graders (49%).
- For Milwaukee County, the proportion of students who reported having never used cigarettes/tobacco was generally similar across high school grade levels (close to 70% in each grade).

<sup>2</sup> For alcohol, Milwaukee County showed a larger proportion of 11th and 12th graders who reported having never used in comparison to other counties in the region. The possibility that this may be related to higher dropout rates or to socio-economic factors in Milwaukee County may need to be explored.

- For Racine County, the most notable difference was apparent between 7th graders (85%) and 8th graders (74%).
- For Washington County, the most notable difference was apparent between 9th graders (81%) and 10th graders (58%).

Within each grade level, counties varied in the proportion of students who reported having *never* used cigarettes/tobacco. Specifically:

- For 7th graders, a larger proportion of students who had never used was apparent in Washington County (94%), and a smaller proportion was apparent in Racine County (85%).
- For 8th graders, a larger proportion of students who had never used was apparent in Washington County (91%), and a smaller proportion was apparent in Racine County (74%).
- For 9th graders, a larger proportion of students who had never used was apparent in Washington County (81%), and a smaller proportion was apparent in Milwaukee County (67%).
- For 10th graders, a larger proportion of students who had never used was apparent in Milwaukee County (71%), and a smaller proportion was apparent in Washington County (58%).<sup>3</sup>
- For 11th graders, a larger proportion of students who had never used was apparent in Milwaukee County (69%), and a smaller proportion was apparent in Washington County (56%).
- For 12th graders, a larger proportion of students who had never used was apparent in Milwaukee County (65%), and a smaller proportion was apparent in Washington County (46%).

---

<sup>3</sup> For cigarettes/tobacco, Milwaukee County showed a larger proportion of 10th, 11th, and 12th graders who reported having never used in comparison to other counties in the region. The possibility that this be related to higher dropout rates or to socio-economic factors in Milwaukee County may need to be explored.

## Regional Comparisons: Marijuana

**Table 4: Percent and number of students who reported having never used marijuana**

Grade Level	Jefferson County	Milwaukee County	Ozaukee County	Racine County	Washington County
7th Grade	96.3% (n=727)	N/A	N/A	92.4% (n=363)	98.2% (n=328)
8th Grade	90.4% (n=703)	N/A	N/A	78.2% (n=359)	95.4% (n=166)
9th Grade	81.1% (n=733)	54.8% (n=172)	N/A	69.5% (n=486)	89.7% (n=139)
10th Grade	72.7% (n=635)	50.8% (n=293)	N/A	60.2% (n=364)	77.6% (n=45)
11th Grade	64.6% (n=539)	49.4% (n=260)	N/A	53.0% (n=276)	67.8% (n=80)
12th Grade	53.3% (n=431)	49.2% (n=185)	N/A	51.0% (n=238)	61.3% (n=38)

Total Ns differ by grade in each county. Total Ns range from 755 to 896 for Jefferson County, from 314 to 577 for Milwaukee County, from 393 to 699 for Racine County, and from 58 to 334 for Washington County. N/A indicates that survey data or reports were not provided or were unavailable.

In each county, the proportion of students who reported having *never* used marijuana generally decreased at each grade level as more students began to first try marijuana. However, counties varied with respect to which grade intervals exhibited the most notable differences. Specifically:

- For Jefferson County, the most notable difference was apparent between 11th graders (65%) and 12th graders (53%).
- For Milwaukee County, the proportion of students who reported having never used marijuana was generally similar across grade levels (close to 50% in each grade).
- For Racine County, the most notable difference was apparent between 7th graders (92%) and 8th graders (78%).
- For Washington County, the most notable difference was apparent between 9th graders (90%) and 10th graders (78%).

Within each grade level, counties varied in the proportion of students who reported having *never* used marijuana. Specifically:

- For 7th graders, a slightly larger proportion of students who had never used was apparent in Washington County (98%), and slightly smaller proportion was apparent in Racine County (92%).
- For 8th graders, a larger proportion of students who had never used was apparent in Washington County (95%), and a smaller proportion was apparent in Racine County (78%).
- For 9th graders, a larger proportion of students who had never used was apparent in Washington County (90%), and a smaller proportion was apparent in Milwaukee County (55%).

- For 10th graders, a larger proportion of students who had never used was apparent in Washington County (78%), and a smaller proportion was apparent in Milwaukee County (51%).
- For 11th graders, a larger proportion of students who had never used was apparent in Washington County (68%), and a smaller proportion was apparent in Milwaukee County (49%).
- For 12th graders, a larger proportion of students who had never used was apparent in Washington County (61%), and a smaller proportion was apparent in Milwaukee County (49%).

## Proportion of Students Who Reported Past 30-Day Use of Each Substance

### Regional Comparisons: Alcohol

**Table 5: Percent and number of students who reported using alcohol in the past 30 days**

Grade Level	Jefferson County	Milwaukee County	Ozaukee County	Racine County	Washington County
<b>7th Grade</b>	12.1% (n=91)	N/A	0.7% (n=2)	10.6% (n=42)	9.8% (n=32)
<b>8th Grade</b>	20.4% (n=158)	N/A	2.3% (n=7)	20.5% (n=94)	12.7% (n=22)
<b>9th Grade</b>	30.6% (n=274)	30.1% (n=84)	11.4% (n=40)	30.8% (n=216)	24.0% (n=37)
<b>10th Grade</b>	37.6% (n=328)	31.4% (n=163)	24.2% (n=81)	39.7% (n=246)	51.7% (n=30)
<b>11th Grade</b>	41.8% (n=349)	29.3% (n=135)	33.2% (n=115)	45.8% (n=243)	53.0% (n=62)
<b>12th Grade</b>	53.7% (n=433)	39.7% (n=139)	41.0% (n=125)	51.8% (n=242)	71.4% (n=45)

Total Ns differ by grade in each county. Total Ns range from 753 to 894 for Jefferson County, from 279 to 519 for Milwaukee County, from 302 to 351 for Ozaukee County, from 395 to 702 for Racine County, and from 58 to 327 for Washington County. N/A indicates that survey data or reports were not provided or were unavailable.

In each county, the proportion of students reporting having drunk alcohol in the past 30 days generally increased at each grade level. However, counties varied with respect to which grade intervals exhibited the most notable differences. Specifically:

- For Jefferson County, the most notable difference was apparent between 11th graders (42%) and 12th graders (54%).
- For Milwaukee County, the most notable difference was apparent between 11th graders (29%) and 12th graders (40%).
- For Ozaukee County, the most notable difference was apparent between 9th graders (11%) and 10th graders (24%).
- For Racine County, the most notable difference was apparent between 8th graders (21%) and 9th graders (31%).
- For Washington County, the most notable difference was apparent between 9th graders (24%) and 10th graders (52%).

Within each grade level, counties varied in the proportion of students reporting past 30-day alcohol use. Specifically:

- For 7th graders, a smaller proportion of students who had used in the past 30 days was apparent in Ozaukee County (1%), and a larger proportion was apparent in Jefferson County (12%).
- For 8th graders, a smaller proportion of students who had used in the past 30 days was apparent in Ozaukee County (2%), and a larger proportion was apparent in Racine County (21%).

- For 9th graders, a smaller proportion of students who had used in the past 30 days was apparent in Ozaukee County (11%), and a larger proportion was apparent in Racine County (31%).
- For 10th graders, a smaller proportion of students who had used in the past 30 days was apparent in Ozaukee County (24%), and a larger proportion was apparent in Washington County (52%).
- For 11th graders, a smaller proportion of students who had used in the past 30 days was apparent in Milwaukee County (29%), and a larger proportion was apparent in Washington County (53%).<sup>4</sup>
- For 12th graders, a smaller proportion of students who had used in the past 30 days was apparent in Milwaukee County (40%), and a larger proportion was apparent in Washington County (71%).

**Regional Comparisons: Cigarettes/Tobacco**

**Table 6: Percent and number of students who reported using cigarettes/tobacco in the past 30 days**

Grade Level	Jefferson County	Milwaukee County	Ozaukee County	Racine County	Washington County
7th Grade	2.5% (n=19)	N/A	0.3% (n=1)	3.6% (n=14)	1.5% (n=5)
8th Grade	6.8% (n=53)	N/A	0.6% (n=2)	10.4% (n=48)	1.7% (n=3)
9th Grade	11.4% (n=102)	15.6% (n=47)	6.3% (n=22)	12.1% (n=85)	7.7% (n=12)
10th Grade	15.8% (n=138)	10.1% (n=57)	11.9% (n=40)	15.8% (n=98)	20.7% (n=12)
11th Grade	18.8% (n=157)	12.3% (n=61)	16.5% (n=57)	19.9% (n=106)	29.9% (n=35)
12th Grade	30.0% (n=242)	13.1% (n=49)	19.3% (n=59)	23.8% (n=112)	31.7% (n=20)

Total Ns differ by grade in each county. Total Ns range from 757 to 896 for Jefferson County, from 301 to 565 for Milwaukee County, from 305 to 351 for Ozaukee County, from 394 to 701 for Racine County, and from 58 to 333 for Washington County. N/A indicates that survey data or reports were not provided or were unavailable.

In each county, the proportion of students reporting having used cigarettes or tobacco products in the past 30 days generally increased at each grade level. However, counties varied with respect to which grade intervals exhibited the most notable differences. Specifically:

- For Jefferson County, the most notable difference was apparent between 11th graders (19%) and 12th graders (30%).
- For Milwaukee County, the most notable difference was apparent between 9th graders (16%) and 10th graders (10%). However, it should be noted that the difference was

<sup>4</sup> For alcohol, Milwaukee County showed a smaller proportion of 11th and 12th graders who reported past 30-day use in comparison to other counties in the region. The possibility that this may be related to higher dropout rates or to socio-economic factors in Milwaukee County may need to be explored.

relatively small and that 9th graders were slightly more likely than 10th graders to have reported using cigarettes/tobacco in the past 30 days.

- For Ozaukee County, the most notable difference was apparent between 9th graders (6%) and 10th graders (12%), although the difference was relatively small.
- For Racine County, the most notable difference was apparent between 7th graders (4%) and 8th graders (10%), although the difference was relatively small.
- For Washington County, the most notable difference was apparent between 9th graders (8%) and 10th graders (21%).

Within each grade level, counties varied in the proportion of students reporting past 30-day cigarette/tobacco use. Specifically:

- For 7th graders, the proportion of students who reported having used cigarettes/tobacco in the past 30 days was generally similar across counties (close to 3% in each county).
- For 8th graders, a smaller proportion of students who had used in the past 30 days was apparent in Ozaukee County (1%), and a larger proportion was apparent in Racine County (10%).
- For 9th graders, a smaller proportion of students who had used in the past 30 days was apparent in Ozaukee County (6%), and a larger proportion was apparent in Milwaukee County (16%).
- For 10th graders, a smaller proportion of students who had used in the past 30 days was apparent in Milwaukee County (10%), and a larger proportion was apparent in Washington County (21%).<sup>5</sup>
- For 11th graders, a smaller proportion of students who had used in the past 30 days was apparent in Milwaukee County (12%), and a larger proportion was apparent in Washington County (30%).
- For 12th graders, a smaller proportion of students who had used in the past 30 days was apparent in Milwaukee County (13%), and a larger proportion was apparent in Washington County (32%).

---

<sup>5</sup> For cigarettes/tobacco, Milwaukee County showed a smaller proportion of 10th, 11th, and 12th graders who reported past 30-day use in comparison to other counties in the region. The possibility that this may be related to higher dropout rates or to socio-economic factors in Milwaukee County may need to be explored.

## Regional Comparisons: Marijuana

**Table 7: Percent and number of students who reported using marijuana in the past 30 days**

Grade Level	Jefferson County	Milwaukee County	Ozaukee County	Racine County	Washington County
7th Grade	1.5% (n=11)	N/A	0.0% (n=0)	4.1% (n=16)	0.9% (n=3)
8th Grade	5.7% (n=44)	N/A	1.3% (n=4)	8.3% (n=38)	0.2% (n=2)
9th Grade	10.4% (n=92)	28.4% (n=87)	7.4% (n=26)	18.5% (n=129)	5.1% (n=8)
10th Grade	16.8% (n=146)	22.9% (n=132)	13.3% (n=44)	23.4% (n=142)	17.2% (n=10)
11th Grade	20.1% (n=167)	25.2% (n=135)	24.3% (n=84)	28.1% (n=146)	13.7% (n=16)
12th Grade	24.9% (n=201)	24.3% (n=93)	23.0% (n=70)	24.5% (n=114)	17.5% (n=11)

Total Ns differ by grade in each county. Total Ns range from 748 to 888 for Jefferson County, from 306 to 576 for Milwaukee County, from 300 to 349 for Ozaukee County, from 390 to 697 for Racine County, and from 58 to 333 for Washington County. N/A indicates that survey data or reports were not provided or were unavailable.

In each county, the proportion of students reporting having used marijuana in the past 30 days generally increased at each grade level. However, counties varied with respect to which grade intervals exhibited the most notable differences. Specifically:

- For Jefferson County, the most notable difference was apparent between 9th graders (10%) and 10th graders (17%).
- For Milwaukee County, the proportion of students who reported having used marijuana was generally similar across grade levels (close to 25% in each grade). However, it should be noted that 9th graders were slightly more likely than 10th graders to have reported using marijuana in the past 30 days.
- For Ozaukee County, the most notable difference was apparent between 10th graders (13%) and 11th graders (24%).
- For Racine County, the most notable difference was apparent between 8th graders (8%) and 9th graders (19%).
- For Washington County, the most notable difference was apparent between 9th graders (5%) and 10th graders (17%).

Within each grade level, counties varied in the proportion of students reporting past 30-day marijuana use. Specifically:

- For 7th graders, the proportion of students who reported having used marijuana in the past 30 days was generally similar across counties (less than 5% in each county).
- For 8th graders, a smaller proportion of students who had used in the past 30 days was apparent in Washington County (0%), and a larger proportion was apparent in Racine County (8%).



- For 9th graders, a smaller proportion of students who had used in the past 30 days was apparent in Washington County (5%), and a larger proportion was apparent in Milwaukee County (28%).
- For 10th graders, a smaller proportion of students who had used in the past 30 days was apparent in Ozaukee County (13%), and a larger proportion was apparent in Racine County (23%).
- For 11th graders, a smaller proportion of students who had used in the past 30 days was apparent in Washington County (14%), and a larger proportion was apparent in Racine County (28%).
- For 12th graders, a smaller proportion of students who had used in the past 30 days was apparent in Washington County (18%), and a larger proportion was apparent in Jefferson County (25%).



## Alcohol-Related Emergency Room Visits

Prevention practitioners expressed interest in obtaining compelling data to demonstrate the impact of alcohol consumption on individual health, and in examining data about the burden of alcohol-related medical conditions and injuries on emergency rooms in community hospitals. These professionals suggested that individuals often access services for alcohol-related medical conditions and injuries through emergency rooms.<sup>6</sup>

Data provided by the Wisconsin Hospital Association (WHA) on alcohol-related emergency room visits in 2007 is included in this section. The data was compiled from patient diagnostic codes taken from the International Classification of Diseases (ICD9) and reflects alcohol-related visits even when an alcohol-related condition was not listed as the primary diagnosis.<sup>7</sup> The data in this report does not capture unique patients, but rather all visits. Alcohol-related visits are presented by age group for each county and by gender for the Southeastern Region.

**Table 8: Number of alcohol-related emergency room visits by age - 2007**

Age Range	Kenosha	Milwaukee	Washington	Jefferson	Ozaukee	Racine	Walworth	Waukesha	Southeastern	
									Number	Percent
<b>0-19</b>	62	221	26	14	29	50	26	85	513	8.6%
<b>20-29</b>	60	560	31	23	18	74	59	106	931	15.7%
<b>30-39</b>	55	670	38	27	17	73	64	81	1,025	17.3%
<b>40-49</b>	146	1,393	75	43	23	181	80	118	2,059	34.7%
<b>50-59</b>	81	725	44	11	13	62	51	72	1,059	17.8%
<b>60-69</b>	26	172	9	0	4	18	18	23	270	4.5%
<b>70+</b>	10	44	2	1	7	6	6	5	81	1.4%
<b>Total</b>	<b>440</b>	<b>3,785</b>	<b>225</b>	<b>119</b>	<b>111</b>	<b>464</b>	<b>304</b>	<b>490</b>	<b>5,938</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 9: Number of alcohol-related emergency room visits by gender - 2007**

Southeastern Region		
Gender	Visits	% of Total
<b>Male</b>	4,138	69.7%
<b>Female</b>	1,800	30.3%
<b>Total</b>	<b>5,938</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

<sup>6</sup> It was noted by prevention practitioners that emergency medical services are more costly than other forms of medical care and that prevention efforts could be enhanced by understanding the relationship between alcohol use and medical conditions and injuries where alcohol use was a contributing factor. These types of medical conditions and injuries place burden on emergency rooms at community hospitals.

<sup>7</sup> ICD9 is a database of medical codes that medical practitioners and allied health professionals use to classify medical conditions.

## Observations

- In 2007, there were 5,938 alcohol-related emergency room visits in the Southeastern Region. This is a slight increase from 2003, when 5,534 people visited an emergency room for an alcohol-related condition.
- Alcohol-related emergency room visits ranged from a low of 111 visits in Ozaukee County to a high of 3,785 visits in Milwaukee County.<sup>8</sup>
- The percent of alcohol-related emergency room visits in each age group ranged from a low of 1.4% among those aged 70 and above to a high of 34.7% among those between the ages of 40 and 49.
- Males accounted for approximately 70% (n=4,138 or 69.7%) of alcohol-related emergency room visits and females approximately 30% (n=1,800 or 30.3%) of these visits.

---

<sup>8</sup> Population size varies greatly across the Southeastern Region. Milwaukee Counties has the largest population in the Southeastern Region.

## Substance Abuse Treatment Facility Admissions

As a way of understanding the magnitude of substance abuse problems in the Southeastern Region, prevention practitioners were interested in examining the number of admissions to substance abuse treatment facilities.

The Wisconsin Department of Health Services provided data on admissions to state-funded substance abuse treatment facilities in 2007. The data in this report does not capture unique counts of individuals, but rather all admissions to substance abuse treatment facilities.

Admissions for substance abuse treatment are presented by age group for each county and by gender, race, and ethnicity for the Southeastern Region.

**Table 10: Number of admissions to substance abuse treatment facilities by age - 2007**

Age Range	Kenosha	Milwaukee	Washington	Jefferson	Ozaukee	Racine	Walworth	Waukesha	Southeastern	
									Number	Percent
0-19	27	112	53	19	24	42	70	124	471	2.7%
20-29	392	2,134	478	353	234	508	538	707	5,344	30.3%
30-39	281	2,429	230	188	113	396	270	385	4,292	24.3%
40-49	303	3,044	235	195	149	442	249	419	5,036	28.5%
50-59	149	1,247	108	92	60	215	132	201	2,204	12.5%
60-69	19	126	27	18	9	29	30	25	283	1.6%
70+	3	3	9	3	2	5	2	3	30	0.2%
<b>Total</b>	<b>1,174</b>	<b>9,095</b>	<b>1,140</b>	<b>868</b>	<b>591</b>	<b>1,637</b>	<b>1,291</b>	<b>1,864</b>	<b>17,660</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 11: Number of admissions to substance abuse treatment facilities by gender - 2007**

Southeastern Region		
Gender	Admissions	% of Total
Male	12,855	72.8%
Female	4,805	27.2%
<b>Total</b>	<b>17,660</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 12: Number of admissions to substance abuse treatment facilities by race - 2007**

Southeastern Region		
Race	Admissions	% of Total
White	12,629	71.5%
Black	4,826	27.3%
American Indian	151	0.9%
Asian	51	0.3%
Pacific Islander	3	0.0%
<b>Total</b>	<b>17,660</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 13: Number of admissions to substance abuse treatment facilities by ethnicity - 2007**

<b>Southeastern Region</b>		
	<b>Admissions</b>	<b>% of Total</b>
<b>Non-Hispanic</b>	16,181	91.6%
<b>Hispanic</b>	1,479	8.4%
<b>Total</b>	<b>17,660</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

### Observations

- In 2007, there were 17,660 admissions to state-funded substance abuse treatment facilities in the Southeastern Region. This is a slight decrease from 2003 when 17,917 admissions were reported.
- Admissions ranged from a low of 591 in Ozaukee County to a high of 9,095 in Milwaukee County.<sup>9</sup>
- The percent of admissions in each age group ranged from a low of 0.2% among those aged 70 and above to a high of 30.3% among those between the ages of 20 and 29.
- Of the 17,660 admissions, approximately 73% (n=12,855 or 72.8%) were males and approximately 27% (n=4,805 or 27.2%) were females.
- People who were White accounted for approximately 72% of admissions (n=12,629 or 71.5%) and people who were African American accounted for approximately 27% of admissions (n=4,826 or 27.3%). Approximately 8% of admissions were people who were Latino (n=1,479 or 8.4%).

---

<sup>9</sup> Population size varies greatly across the Southeastern Region. Milwaukee Counties has the largest population in the Southeastern Region.

## **Substance Related Arrests**

Examining substance-related arrest data provides a snapshot of drug and alcohol offenses that come to the attention of law enforcement. Many communities use substance-related arrests data as an indicator to drive prevention and law enforcement planning efforts.

The Office of Justice Assistance provided data on substance-related arrests in Southeastern Wisconsin. The data includes arrests for drug sale and manufacturing, drug possession and operating a vehicle while intoxicated (OWI). The data captures the extent to which law enforcement observes and focuses attention on drug and alcohol offenses within the confines of their legal authority. The data represents the year in which offenses were reported, but not necessarily the year in which the offense occurred. The data in this report does not capture arrests of unique individuals, but all arrests. Drug arrest data is presented separately for adults and juveniles, including specific information for each county. Operating while intoxicated data was available for all age groups combined, and is presented for each county.





**Table 14: Southeastern region adult drug sale and manufacturing arrests by jurisdiction - 2007**

County	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson County	65,575	295	57	1.8%	29	1.8%	20	2.0%	8	5.4%	0	0.0%
Kenosha County	122,704	699	161	5.2%	107	6.5%	43	4.4%	9	6.1%	2	0.7%
Milwaukee County	712,845	5,399	2,110	68.4%	1,235	74.9%	642	65.2%	40	27.0%	193	63.3%
Ozaukee County	65,847	144	25	0.8%	13	0.8%	4	0.4%	8	5.4%	0	0.0%
Racine County	148,369	839	143	4.6%	43	2.6%	49	5.0%	8	5.4%	43	14.1%
Walworth County	78,624	782	71	2.3%	22	1.3%	41	4.2%	3	2.0%	5	1.6%
Washington County	98,335	613	237	7.7%	67	4.1%	92	9.3%	46	31.1%	32	10.5%
Waukesha County	290,249	1,092	282	9.1%	132	8.0%	94	9.5%	26	17.6%	30	9.8%
<b>Region Total</b>	<b>1,582,548</b>	<b>9,863</b>	<b>3086</b>	<b>100.0%</b>	<b>1648</b>	<b>100.0%</b>	<b>985</b>	<b>100.0%</b>	<b>148</b>	<b>100.0%</b>	<b>305</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 15: Southeastern region adult drug possession arrests by jurisdiction - 2007**

County	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson County	65,575	295	238	3.5%	45	5.3%	147	2.9%	9	3.0%	37	7.2%
Kenosha County	122,704	699	538	7.9%	81	9.5%	437	8.6%	18	6.0%	2	0.4%
Milwaukee County	712,845	5,399	3,289	48.5%	439	51.3%	2,479	48.6%	72	23.8%	299	57.9%
Ozaukee County	65,847	144	119	1.8%	6	0.7%	88	1.7%	12	4.0%	13	2.5%
Racine County	148,369	839	696	10.3%	109	12.7%	458	9.0%	109	36.1%	20	3.9%
Walworth County	78,624	782	711	10.5%	38	4.4%	606	11.9%	10	3.3%	57	11.0%
Washington County	98,335	613	376	5.5%	38	4.4%	273	5.3%	44	14.6%	21	4.1%
Waukesha County	290,249	1,092	810	12.0%	100	11.7%	615	12.1%	28	9.3%	67	13.0%
<b>Region Total</b>	<b>1,582,548</b>	<b>9,863</b>	<b>6,777</b>	<b>100.0%</b>	<b>856</b>	<b>100.0%</b>	<b>5,103</b>	<b>100.0%</b>	<b>302</b>	<b>100.0%</b>	<b>516</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 16: Southeastern region juvenile drug sale and manufacturing arrests by jurisdiction – 2007**

County	Juvenile Population	Total Drug Arrests	Sale & Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson County	20,660	104	7	1.6%	4	3.0%	2	0.9%	1	4.2%	0	0.0%
Kenosha County	38,658	237	42	9.7%	5	3.8%	29	12.5%	7	29.2%	1	2.2%
Milwaukee County	224,584	1,312	298	68.8%	110	83.3%	161	69.4%	3	12.5%	24	53.3%
Ozaukee County	20,745	34	2	0.5%	0	0.0%	0	0.0%	0	0.0%	2	4.4%
Racine County	46,744	108	23	5.3%	4	3.0%	13	5.6%	2	8.3%	4	8.9%
Walworth County	24,771	156	9	2.1%	1	0.8%	5	2.2%	1	4.2%	2	4.4%
Washington County	30,981	110	16	3.7%	5	3.8%	7	3.0%	3	12.5%	1	2.2%
Waukesha County	91,444	238	36	8.3%	3	2.3%	15	6.5%	7	29.2%	11	24.4%
<b>Region Total</b>	<b>498,587</b>	<b>2,299</b>	<b>433</b>	<b>100.0%</b>	<b>132</b>	<b>100.0%</b>	<b>232</b>	<b>100.0%</b>	<b>24</b>	<b>100.0%</b>	<b>45</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 17: Southeastern region juvenile drug possession arrests by jurisdiction - 2007**

County	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson County	20,660	104	97	5.2%	2	3.9%	68	4.2%	10	26.3%	17	10.8%
Kenosha County	38,658	237	195	10.5%	4	7.8%	183	11.3%	6	15.8%	2	1.3%
Milwaukee County	224,584	1,312	1,014	54.3%	25	49.0%	905	55.9%	4	10.5%	80	51.0%
Ozaukee County	20,745	34	32	1.7%	2	3.9%	20	1.2%	5	13.2%	5	3.2%
Racine County	46,744	108	85	4.6%	6	11.8%	74	4.6%	3	7.9%	2	1.3%
Walworth County	24,771	156	147	7.9%	0	0.0%	133	8.2%	1	2.6%	13	8.3%
Washington County	30,981	110	94	5.0%	2	3.9%	79	4.9%	5	13.2%	8	5.1%
Waukesha County	91,444	238	202	10.8%	10	19.6%	158	9.8%	4	10.5%	30	19.1%
<b>Region Total</b>	<b>498,587</b>	<b>2,299</b>	<b>1,866</b>	<b>100.0%</b>	<b>51</b>	<b>100.0%</b>	<b>1,620</b>	<b>100.0%</b>	<b>38</b>	<b>100.0%</b>	<b>157</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 18: Southeastern region operating while intoxicated (OWI) arrests - 2007**

County	Total Population	OWI Arrests	
		Number	Percent
Jefferson	86,235	884	7.5%
Kenosha	161,362	955	8.1%
Milwaukee	937,429	3,695	31.4%
Ozaukee	86,592	511	4.3%
Racine	195,113	993	8.4%
Walworth	103,395	986	8.4%
Washington	129,316	853	7.2%
Waukesha	381,693	2,900	24.6%
<b>Region Total</b>	<b>2,081,135</b>	<b>11,777</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

### Observations

- In 2007, there was a total of 12,162 drug arrests for adults and juveniles combined in the Southeastern Region. Adults accounted for 81.1% (n=9,863) of all drug arrests and juveniles accounted for 18.9% (n=2,299) of all drug arrests.
- There were a total of 3,086 adult arrests for drug sale and manufacturing in 2007. Of these arrests, 1,648 (or 53.4%) were for opium/cocaine.
- There were a total of 6,777 adult arrests for drug possession in 2007. Of these arrests, 5,103 (or 75.3%) were for possession of marijuana.
- There were a total of 433 juvenile arrests for drug sale and manufacturing in 2007. Of these arrests, 232 (or 53.6%) were for marijuana.
- There were a total of 1,866 juvenile arrests for drug possession in 2007. Of these arrests, 1,620 (or 86.8%) were for possession of marijuana.
- In 2007, there were 11,777 OWI arrests in the Southeastern Region, ranging from a low of 511 OWI arrests in Ozaukee County to a high of 3,695 OWI arrests in Milwaukee County.<sup>10</sup>

<sup>10</sup> Population size varies greatly across the Southeastern Region. Milwaukee Counties has the largest population in the Southeastern Region.





## Jefferson County Profile

### Jefferson County Highlights

- The number of admissions to state-funded substance abuse treatment facilities decreased from 1,231 in 2003 to 868 in 2007.
- Approximately one-third (33.1%) of students reported using tobacco at least once in the past 30 days.
- Juveniles accounted for 26% of all drug arrests in 2007.

#### ***Alcohol – Students Grades 7 to 12<sup>11</sup>***

Approximately 4,900 (n=4,961) students grades 7 to 12 were surveyed in 2008 in Jefferson County. About one-third of students (n=1,636 or 33.1%) reported using alcohol at least once in the past 30 days. The mean age that students reported first using alcohol (n=3,201) was 12.7 years of age. In general, more male students reported using alcohol than female students, 35.5% (n=850) and 30.9% (n=765) respectively. Alcohol use tended to vary by grade level and the use of alcohol increased with grade level. 7th and 8th grade students reported using alcohol at 12.1% (n=91) and 20.4% (n=158) respectively. 9th and 10th grade students reported using alcohol, 30.6% (n=274) and 37.6% (n=328) respectively, as compared to 41.8% (n=349) of 11th grade students and 53.7% (n=433) of 12th grade students. About half (n=2,677 or 54.2%) of students in Jefferson County felt that there is a “risk” of people harming themselves if they drink one or two alcoholic beverages nearly every day. In addition, 79.6% (n=3,939) reported that their parents would feel it was “wrong” for them to drink an alcoholic beverage (beer, wine, or hard liquor) regularly.

#### ***Marijuana – Students Grades 7 to 12***

Approximately 4,900 (n=4,961) students grades 7 to 12 were surveyed in 2008 in Jefferson County. About one-tenth (n=663 or 13.5%) reported using marijuana at least once in the past 30 days. The mean age that students reported first using marijuana (n=1,179) was 13.9 years of age. In general, more male students reported using marijuana than female students, 16.3% (n=389) and 10.6% (n=262) respectively. Marijuana use tended to vary by grade level and the use of marijuana increased with grade level. 7th and 8th grade students reported using marijuana at 1.5% (n=11) and 5.7% (n=44) respectively. 9th and 10th grade students reported using marijuana, 10.4% (n=92) and 16.8% (n=146) respectively, as compared to 20.1% (n=167) of 11th grade students and 24.9% (n=201) of 12th grade students. About four-fifths of students (n= 4,007 or 81.2%) of students in Jefferson County felt that there is a “risk” of people harming

---

<sup>11</sup> Jefferson County core measure data was provided by the Delinquency Council. Information was taken from a report generated by the Pride Institute. 4,961 students were part of the survey sample. Survey respondents did not respond to all items on the survey. Information presented in this report will reflect only the number of students responding to an item on the survey.

themselves if they smoke marijuana regularly. In addition, 93.7% (n=4,638) reported that their parents would feel it was “wrong” for them to smoke marijuana regularly.

### ***Tobacco – Students Grades 7 to 12***

Approximately 4,900 (n=4,961) students grades 7 to 12 were surveyed in 2008 in Jefferson County. Some students (n=713 or 14.4%) reported using tobacco at least once in the past 30 days. The mean age that students reported first using tobacco (n=1,438) was 12.7. Male and female students reported using tobacco at similar percentages, 14.6% (n=850) and 14.3% (n=765) respectively. Tobacco use tended to vary by grade level and the use of tobacco increase with grade level. 7th and 8th grade students reported using tobacco at 2.5% (n=19) and 6.8% (n=53). 9th and 10th grade students reported using tobacco, 11.4% (n=102) and 15.8% (n=138) respectively, as compared to 18.8% (n=157) of 11th grade students and 30.0% (n=242) of 12th grade students. A large number of students (n=4,446 or 89.9%) of students in Jefferson County felt that there is a “risk” of people harming themselves if they smoke one or more packs of cigarettes per day. In addition, 91.7% (n=4,543) reported that their parents would feel it was “wrong” for them to smoke cigarettes regularly.

### ***Alcohol-Related Emergency Room Visits***

In 2007, there were 119 alcohol-related emergency room visits in Jefferson County. This is a slight increase from 2003 where 92 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 64% (n=76 or 63.9%) and females approximately 36% (n=43 or 36.1%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 0.8% among those aged 70 and above to a high of 36.1% among those between the ages of 40 and 49.

### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 868 admissions to state-funded substance abuse treatment facilities in Jefferson County. This is a decrease from 2003 when 1,231 episodes were reported. Of the 868 admissions, approximately 78% (n=680 or 78.3%) involved males and approximately 22% (n=188 or 21.7%) involved females. With respect to race, 852 admissions involved Whites, 10 African Americans/Blacks, 4 American Indians, and 2 Asians. There were 28 admissions that involved persons of Hispanic ethnicity. Most of the admissions included people in the 20-29 age range (see Appendix for table).

### ***Substance Related Arrests<sup>12</sup>***

In 2007, there were 399 drug arrests in Jefferson County, with adults accounting for 74% (n=295) of all drug arrests. Sixteen percent (n=64) of arrests were for the sale and manufacturing of drugs, and 84% (n=335) were for the possession of drugs for adults and juveniles combined. Of the jurisdictions in Jefferson County, the Watertown Police Department jurisdiction had the highest number of juvenile drug arrests (n=37) and the Jefferson County Sheriff’s Office jurisdiction had the highest number of adult drug arrests (n=143) in the county. The highest number of arrests among adults and juveniles for the sale and manufacturing of drugs was for opium/cocaine, while the highest number of arrests for possession was for marijuana. There were 884 OWI arrests in the county, with the highest number (n=280) occurring in the Fort Atkinson Police Department jurisdiction.

---

<sup>12</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Jefferson County was 86,235 and the juvenile population totaled 20,660 people in 2007.



## Kenosha County Profile

### Kenosha County Highlights

- Two-thirds (65.9%) of alcohol-related emergency room visits involved males.
- Of the 1,174 admissions to state-funded substance abuse treatment facilities, 1,108 involved Whites.
- The highest number of OWI arrests and drug arrests was in the Kenosha Police Department jurisdiction.

#### ***Alcohol-Related Emergency Room Visits***

In 2007, there were a total of 440 alcohol-related emergency room visits in Kenosha County. This is a slight increase from 2003 where 376 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 66% (n=290 or 65.9%) and females approximately 34% (n=150 or 34.1%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 2.3% among those aged 70 and above to a high of 33.2% among those between the ages of 40 and 49.

#### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 1,174 admissions to state-funded substance abuse treatment facilities in Kenosha County. This is a slight increase from 2003 when 1,100 episodes were reported. Of the 1,174 admissions, approximately 74% (n=872 or 74.3%) involved males and approximately 26% (n=302 or 25.7%) involved females. With respect to race, 1,108 admissions involved Whites, 63 African Americans/Blacks, and 3 American Indians. There were 117 admissions that involved persons of Hispanic ethnicity. Most of the admissions included people in the 20-29 age range (see Appendix for table).

#### ***Substance Related Arrests<sup>13</sup>***

In 2007, there were 936 drug arrests in Kenosha County, with adults accounting for 75% (n=699 arrests) of all drug arrests. Twenty-two percent (n=203) of arrests were for the sale and manufacturing of drugs, and 78% (n=733) were for the possession of drugs for adults and juveniles combined. Of all jurisdictions in Kenosha County, the Kenosha Police Department jurisdiction had the highest number of juvenile (n=168) and adult (n=455) drug arrests in the county. The highest number of sales and manufacturing drug arrests among adults was for opium/cocaine and marijuana for juveniles. The highest number of drug arrests for possession among adults and juveniles was for marijuana. There were 955 OWI arrests in the county, with the highest number (n=414) occurring in the Kenosha Police Department jurisdiction.

<sup>13</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Kenosha County was 122,704 and the juvenile population totaled 38,658 in 2007.



## Milwaukee County Profile

### Milwaukee County Highlights

- About 26.8% of high school students reported having used marijuana at least once in the past 30 days.
- In 2007, there were 3,695 OWI arrests in the county.
- The number of admissions to substance abuse treatment facilities decreased between 2003 and 2007 from 9,362 to 9,095.

#### ***Alcohol – Students Grades 9 to 12<sup>14</sup>***

Approximately 1,900 high school students grades 9 to 12 were surveyed in 2007 in Milwaukee County. About one-third of students (n=530 or 30.8%) reported using alcohol at least once in the past 30 days. Male and female students reported using alcohol at similar percentages, 31.3% (n=230) and 29.8% (n=293) respectively. Alcohol use tended to vary by grade level. 9th and 10th grade students reported using alcohol, 28.3% (n=43) and 31.9% (n=96) respectively, as compared to 28.6% (n=73) of 11th grade students and 38.5% (n=79) of 12th grade students. A little over one-third (n=765 or 40.4%) of students in Milwaukee County felt that there is a “great risk” of people harming themselves if they take one or two drinks of alcohol nearly everyday. In addition, 52.4% (n=954) reported that their parents would feel it was “very wrong” for them to drink alcohol at least twice a month.

#### ***Marijuana – Students Grades 9 to 12***

Approximately 1,900 high school students grades 9 to 12 were surveyed in 2007 in Milwaukee County. About one-quarter of students (n=453 or 26.8% reported using marijuana at least once in the past 30 days. In general, more male students reported using marijuana than female students, 30.4% (n=230) and 23.3% (n=218) respectively. Marijuana use tended to vary by grade level. 9th and 10th grade students reported using marijuana, 29.8% (n=87) and 24.7% (n=132) respectively, as compared to 25.4% (n=135) of 11th grade students and 25.8% (n=93) of 12th grade students. A little over one-third (n=705 or 35.3%) of students in Milwaukee felt that there is a “great risk” of people harming themselves if they smoke marijuana regularly. In addition, 67.7% (n=1,315) reported that their parents would feel it was “very wrong” for them to smoke marijuana.

#### ***Tobacco – Students Grades 9 to 12***

Approximately 1,900 high school students grades 9 to 12 were surveyed in 2007 in Milwaukee County. A little over one-tenth of students (n=218 or 12.3%) reported using tobacco at least

<sup>14</sup> Milwaukee County core measure data was provided by Milwaukee Public Schools. The Youth Risk Behavior Survey was administered to 39 public schools in Milwaukee. While the school response rate was 100%, the student response rate was 70%. Survey respondents did not respond to all items on the survey. Information presented in this report will reflect only the number of students responding to an item on the survey.



once in the past 30 days. Male and female students reported using tobacco at similar percentages, 13.4% (n=102) and 11.4% (n=114) respectively. Tobacco use tended to vary by grade level. 9th grade and 10th students reported tobacco, 15.0% (n=47) and 9.2% (n=57) respectively, as compared 11.9% (n=61) of 11th grade students and 12.2% (n=49) of 12th grade students. Almost two-thirds of students (n=1,238 or 63.6%) felt that there is a “great risk” of people harming themselves if they smoke one or more packs of cigarettes per day. In addition, 69.3% (n=1,306) reported that their parents would feel it is “very wrong” for them to smoke cigarettes.

### ***Alcohol-Related Emergency Room Visits***

In 2007, there were a total of 3,785 alcohol-related emergency room visits in Milwaukee County. This is a slight increase from 2003 when 3,593 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 72% (n=2,720 or 71.9%) and females approximately 28% (n=1,065 or 28.1%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 1.2% among those aged 70 and above to a high of 36.8% among those between the ages of 40 and 49.

### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 9,095 admissions to a state-funded substance abuse treatment facilities in Milwaukee County. This is a slight decrease from 2003 where 9,362 admissions were reported. Of the 9,095 admissions, 71% (n=6,459) involved males and 29% (n=2,636) involved females. With respect to race, 4,491 admissions involved Whites, 4,451 African Americans/Blacks, 122 American Indians, 30 Asian Americans, and 1 Pacific Islander. There were 872 admissions that involved persons of Hispanic ethnicity. Most of the admissions included people in the 40-49 age range (see Appendix for table).

### ***Substance Related Arrests<sup>15</sup>***

In 2007, there were 6,711 drug arrests in Milwaukee County, with adults accounting for 80% (n=5,399) of all drug arrests. Thirty-six percent (n=2,408) of arrests were for the sale and manufacturing drugs, and 64% (n=4,303) were for the possession of drugs for adults and juveniles combined. Of all jurisdictions in Milwaukee County, the Milwaukee Police Department had the highest number of juvenile (n=962) and adult (n=4,232) drug arrests in the county. The highest number of sales and manufacturing drug arrests among adults was for opium/cocaine and marijuana for juveniles. The highest number of drug arrests for possession among adults and juveniles was marijuana. There were a total of 3,695 OWI arrests in the county, with the highest number (n=991) occurring in the Milwaukee Police Department jurisdiction.

---

<sup>15</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Milwaukee County was 712,845 and the juvenile population totaled 224,584 in 2007.



## Ozaukee County Profile

### Ozaukee County Highlights

- One fifth of alcohol-related emergency room visits in 2007 were people under the age of 18.
- 588 out of the 591 admissions to a state-funded substance abuse treatment facility involved Whites.
- In 2007, there were 511 OWI arrests in the county.

#### ***Alcohol – Students Grades 6 to 12<sup>16</sup>***

Approximately 2,200 students grades 6 to 12 were surveyed in 2007 in Ozaukee. Just under one-fifth of students (n=372 or 17.0%) reported using alcohol at least once in the past 30 days. The mean age that students reported first using alcohol (n=763) was 13.6 years of age. Male and female students reported using alcohol at similar percentages, 17.0% (n=172) and 16.3% (n=159) respectively. Alcohol use tended to vary by grade level among high school students. 6th, 7th, and 8th grade students reported using alcohol, 0.8% (n=2), 0.7% (n=2), and 2.3% (n=7) respectively. 9th and 10th grade students reported using alcohol, 11.4% (n=40) and 24.2% (n=81) respectively, as compared to 33.2% (n=115) of 11th grade students and 41.0% of 12th grade students (n=125). Almost two-thirds (n=1,443 or 65.8%) of students in Ozaukee County felt that there is a “risk” of people harming themselves if they drink one or two alcoholic beverages nearly everyday. In addition, 86.7% (n=1,808) reported that their parents would feel it was wrong for them to drink an alcoholic beverage (beer, wine, or hard liquor) regularly.

#### ***Marijuana – Students Grades 6 to 12***

Approximately 2,200 students grades 6 to 12 were surveyed in 2007 in Ozaukee. About one-tenth (n=228 or 10.5%) of students reported using marijuana at least once in the past 30 days. The mean age at which students reported that they first used marijuana was 14.3 years of age (n=335). In general, more male students reported using marijuana than female students, 11.9% (n=120) and 9.0% (n=87) respectively. Marijuana use tended to vary by grade level among high school students. 6th, 7th, and 8th grade students reported using alcohol, 0.4% (n=1), 0.0% (n=0), and 1.3% (n=4) respectively. 9th and 10th grade students reported using marijuana, 7.4% (n=26) and 13.3% (n=44) respectively, as compared to 24.3% (n=84) of 11th grade students and 23.0% of 12th grade students (n=70). Over two-thirds (n=1,687 or 77.3%) of students in Ozaukee County felt that there is a “risk” of people harming themselves if they smoke marijuana regularly. In addition, 95.1% (n=1,975) reported that their parents would feel it was wrong for them to smoke marijuana regularly.

---

<sup>16</sup> Ozaukee County measure data was provided by Starting Point of Ozaukee. Data used in this report was taken from a report generated by the Pride Institute. Approximately 2,200 students grades 6 through 12 participated in the Pride Survey. Survey respondents did not respond to all items on the survey. Information presented in this report will reflect only the number of students responding to an item on the survey.

### ***Tobacco – Students Grades 6 to 12***

Approximately 2,200 students in grades 6 to 12 were surveyed in 2007 in Ozaukee. Less than a tenth (n=182 or 8.3%) reported using tobacco at least once in the past 30 days. The mean age at which students reported that they first used tobacco was 14.0 years of age (n=361). In general, more male students reported using tobacco than female students, 10.6% (n=108) and 5.6% (n=55) respectively. Tobacco use tended to vary by grade level among high school students. 6th, 7th, and 8th grade students reported using tobacco, 0.4% (n=1), 0.3% (n=1), and 0.6% (n=2) respectively. 9th and 10th grade students reported using tobacco, 6.3% (n=22) and 11.9% (n=40) respectively, as compared to 16.5% (n=57) of 11th grade students and 19.3% of 12th grade students (n=59). A large number of students (n=2,027 or 92.4%) in Ozaukee County felt that there is a “risk” of people harming themselves if they smoke one or more packs of cigarettes per day. In addition, 93.5% (n=1,962) reported that their parents would feel it was wrong for them to smoke cigarettes regularly.

### ***Alcohol-Related Emergency Room Visits***

In 2007, there were a total of 111 alcohol-related emergency room visits in Ozaukee County. This is an increase from 2003 when 68 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 60% (n=67 or 60.4%) and females approximately 40% (n=44 or 39.6%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 3.6% among those between the ages of 60 and 69 to a high of 26.1% among those ages 19 and under.

### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 591 admissions to state-funded substance abuse treatment facilities in Ozaukee County. This is a decrease from 2003 when 720 admissions were reported. Of the 591 admissions, approximately 77% (n=456 or 77.2%) involved males and approximately 23% (n=135 or 22.8%) involved females. With respect to race, 588 episodes involved Whites, and 3 African Americans/Blacks. There was one admission that involved a person of Hispanic ethnicity. Most of the admissions included people in the 20-29 age range (see Appendix for table).

### ***Substance Related Arrests<sup>17</sup>***

In 2007, there were 178 drug arrests in Ozaukee County, with adults accounting for 81.0% (n=144) of all drug arrests. Fifteen percent (n=27) of arrests were for the sale and manufacturing of drugs, and 85.0% (n=151) arrests were for the possession of drugs for adults and juveniles combined. Of all Jurisdictions in Ozaukee County, the Port Washington Police Department jurisdictions had the highest number of juvenile drug arrests (n=11) and the Mequon Police Department had the highest number of adult drug arrests (n=46) in the county. The highest number of sales and manufacturing drug arrests among adults was for opium/cocaine and some other drug for juveniles. The highest number of drug arrests for possession among adults and juveniles was for marijuana. There were 511 OWI arrests in the county, with the highest number (n=142) occurring in the Ozaukee County Sheriff Office jurisdiction.

---

<sup>17</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Ozaukee County was 65,847 and the juvenile population totaled 20,745 in 2007.



## Racine County Profile

### Racine County Highlights

- About one-third of students (34.0%) reported using alcohol at least once in the past 30 days.
- In 2007, there were 947 drug arrests in the county.
- Males accounted for approximately 72.0% of all alcohol-related emergency room visits in 2007.

#### ***Alcohol – Students Grades 7 to 12<sup>18</sup>***

Approximately 3,200 students grades 7 to 12 were surveyed in 2008 in Racine County. About one-third of students (n=1,066 or 34.0%) reported using alcohol at least once in the past 30 days. The mean age that students reported first using alcohol (n=1,991) was 13.3 years of age. In general, as many male students (n=549) reported using alcohol as female students (n=517), at 33.5% and 14.4% respectively. Alcohol use tended to vary by grade level. 7th and 8th grade students reported using alcohol at 10.6% (n=42) and 20.5% (n=94) respectively. 9th and 10th grade students reported using alcohol, 30.8% (n=216) and 39.7% (n=246) respectively, as compared to 45.8% of 11th (n=243) grade students and 51.8% (n=242) of 12th grade students. Almost half (n=1,514 or 47.8%) of students in Racine County felt that there is a “great risk” of people harming themselves if they take use alcohol regularly. In addition, 51.5% (n=1,611) reported that their parents feel it would be “very wrong” for them to drink beer, wine, or hard liquor regularly.

#### ***Marijuana – Students Grades 7 to 12***

Approximately 3,200 students grades 7 to 12 were surveyed in 2008 in Racine County. Just under one-fifth of students (n=576 or 19.0%) reported using marijuana at least once in the past 30 days. The mean age that students reported first using marijuana (n=1,041) was 13.6 years of age. In general, slightly more male students reported using marijuana than female students, 20.8% (n=323) and 16.5% (n=253) respectively. Marijuana use tended to vary by grade level. 7th grade students and 8th grade students reported using marijuana 4.1% (n=16) and 8.3% (n=38). 9th and 10th grade students reported using marijuana, 18.5% (n=129) and 23.4% (n=142) respectively, as compared to 28.1% of 11th (n=146) grade students and 24.5% (n=114) of 12th grade students. A little over half (n=1,644 or 53.2%) of students in Racine County felt that there is a “great risk” of people harming themselves if they use marijuana regularly. In addition, 78.2% (n=2,417) reported that their parents feel it would be “very wrong” for them to smoke marijuana.

---

<sup>18</sup> Racine County core measure data was provided by FOCUS on Community. The survey included responses from 399 7th grade students, 467 8th grade students, 707 9th grade students, 625 10th grade students, 538 11th grade students, and 472 12 grade students (N=3,209) from five different schools in Racine County. . Survey respondents did not respond to all items on the survey. Information presented in this report will reflect only the number of students responding to an item on the survey.

### ***Tobacco – Students Grades 7 to 12***

Approximately 3,200 students grades 7 to 12 were surveyed in 2008 in Racine County. A number of students (n=455 or 15.0%) reported smoking a cigarette at least once in the past 30 days. The mean age that students reported first using tobacco (n=1,029) was 13.0 years of age. Male and female students reported using tobacco at similar percentages, 14.7% (n=232) and 14.2% (n=517) respectively. Tobacco use tended to vary by grade level. 7th grade students and 8th grade students reported using tobacco 3.6% (n=14) and 10.4% (n=48). 9th and 10th grade students reported using tobacco, 12.1% (n=85) and 15.8% (n=98) respectively, as compared to 19.9% of 11th (n=106) grade students and 23.8% (n=112) of 12th grade students. More than half (n=1,883 or 59.1%) of students in Racine County felt that there is a “great risk” of people harming themselves if they use regularly. In addition, 72.4% (n=2,253) reported that their parents would feel it was “very wrong” for them to smoke cigarettes.

### ***Alcohol-Related Emergency Room Visits***

In 2007, there were a total of 464 alcohol-related emergency room visits in Racine County. This is a slight decrease from 2003 where 547 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 72% (n=335 or 72.2%) and females approximately 28% (n=129 or 27.8%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 1.3% among those aged 70 and above to a high of 39.0% among those between the ages of 40 and 49.

### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 1,637 admissions to state-funded substance abuse treatment facilities in Racine County. This is a slight decrease from 2003 when 1,816 admissions were reported. Of the 1,637 admissions, approximately 78% (n=1,270 or 77.6%) involved males and approximately 22% (n=367 or 22.4%) involved females. With respect to race, 1,396 admissions involved Whites, 224 African Americans/Blacks, 5 American Indians, 10 Asians, and 2 Pacific Islanders. There were 214 admissions that involved persons of Hispanic ethnicity. Most of the admissions included people in the 20-29 age range (see Appendix for table).

### ***Substance Related Arrests<sup>19</sup>***

In 2007, there were 947 drug arrests in Racine County, with adults accounting for 89% (n=839) of all drug arrests. Eighteen percent (n=166) of arrests were for the sale and manufacturing of drugs, and 82% (n=781) arrests were for the possession of drugs for adults and juveniles combined. Of all jurisdictions in Racine County, the Racine Police Department jurisdiction had the highest number of juvenile (n=57) and adult (n=501) drug arrests in the county. The highest number of sales and manufacturing drug arrests among adults and juveniles was for marijuana. The highest number of drug arrests for possession among adults and juveniles was for marijuana. There were 993 OWI arrests in the county, with the highest number (n=394) occurring in the Racine County Sheriff's Office jurisdiction.

---

<sup>19</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Racine County was 148,369 and the juvenile population totaled 46,744 in 2007.



## Walworth County Profile

### Walworth County Highlights

- In 2007, males accounted for 70% of alcohol-related emergency room visits.
- There was a slight decrease in the number of admissions to state-funded substance abuse treatment facilities between 2003 and 2007, 1,291 and 1,544 admissions respectively.
- The highest number of OWI arrests took place in the Whitewater Police Department jurisdiction.

#### ***Alcohol-Related Emergency Room Visits***

In 2007, there were a total of 304 alcohol-related emergency room visits in Walworth County. This is a slight decrease from 2003 when 308 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 70% (n=213 or 70.1%) and females approximately 30% (n=91 or 29.9%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 2.0% among those aged 70 and above to a high of 26.3% among those between the ages of 40 and 49.

#### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 1,291 admissions to state-funded substance abuse treatment facilities in Walworth County. This is a slight decrease from 2003 when 1,544 admissions were reported. Of the 1,291 admissions, approximately 75% (n=964 or 74.7%) involved males and approximately 25% (n=327 or 25.3%) involved females. With respect to race, 1,281 admissions involved Whites, 8 African Americans/Blacks, 1 American Indian, and 1 Asian American. There were 134 admissions that involved persons of Hispanic ethnicity. Most of the admissions included people in the 20-29 age range (see Appendix for table).

#### ***Substance Related Arrests<sup>20</sup>***

In 2007, there were 938 drug arrests in Walworth County, with adults accounting for 83% (n=782) of all drug arrests. Nine percent (n=80) of arrests were for the sale and manufacturing of drugs, and 91% (n=858) of arrests were for the possession of drugs for adults and juveniles combined. Of all jurisdictions in Walworth County, the Walworth County Sheriff Office jurisdiction had the highest number of juvenile (n=31) and adult (n=367) drug arrests in the county. The highest number of sales and manufacturing drug arrests among adults and juveniles was for marijuana. The highest number of drug arrests for possession among adults and juveniles was for marijuana. There were 986 OWI arrests in the county, with the highest number (n=173) occurring in the Whitewater Police Department jurisdiction.

---

<sup>20</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Walworth County was 78,624 and the juvenile population totaled 24,771 in 2007.



## Washington County Profile

### Washington County Highlights

- The number admissions into a substance abuse treatment facility increased from 627 in 2003 to 1,140 in 2007 in the county.
- The highest number of arrests for drug sale/manufacturing and possession among both adults and juveniles in 2007 was for marijuana.
- There was an increase in alcohol-related emergency room visits between 2003 and 2007 (68 to 225), with males accounting for over half of those visits at 65.3%.

#### ***Alcohol – Students Grade 6 to 8<sup>21</sup>***

A total of 634 middle school students grades 6 to 8 were surveyed during the 2007-2008 school year in Washington County. 8.0% of 6th graders (n=10), 9.8% of 7th graders (n=32), and 12.7% of 8th graders (n=22) reported using alcohol at least once in the past 30 days. The mean age in years at which students reported that they first used alcohol was 12.0 for 6th graders (n=125), 12.2 for 7th graders (n=327), and 12.6 for 8th graders (n=173). 24.8% of 6th grade students (n=34), 17.2% of 7th grade students (n=57), and 27.2% of 8th grade students (n=47) in Washington County felt that there is a “great risk” of people harming themselves if they drink one or two drinks of alcohol nearly everyday. In addition, 84.9% of 6th graders (n=107), 87.1% of 7th graders (n=291), and 88.4% of 8th graders (n=153) reported that their parents or guardians would “strongly disapprove” of them drinking one or two drinks of alcohol nearly everyday.

#### ***Marijuana – Students Grade 6 to 8***

A total of 634 middle school students grades 6 to 8 were surveyed during the 2007-2008 school year in Washington County. 0.8% of 6th graders (n=1), 0.9% of 7th graders (n=3), and 1.2% of 8th graders (n=2) reported using marijuana at least once in the past 30 days. The mean age in years at which students reported that they first used marijuana was 12.0 for 6th graders (n=126), 12.2 for 7th graders (n=333), and 13.0 for 8th graders (n=173). 80.2% of 6th grade students (n=101), 80.1% of 7th grade students (n=266), and 86.2% of 8th grade students (n=150) in Washington County felt there is a “great risk” of people harming themselves if they smoke marijuana regularly. In addition, 92.9% of 6th graders (n=117), 94.6% of 7th graders (n=316), and 96.0% of 8th graders (n=167) reported that their parents or guardians would “strongly disapprove” of them smoking marijuana regularly.

<sup>21</sup> Washington County core measure data was used with permission from The Prevention Network of Washington County. The survey included responses from 126 6th grade students, 334 7th grade students, and 174 8th grade students (N=634) from nine different schools in Washington County. The survey includes only “post-test” data. Survey respondents did not respond to all items on the survey. Information presented in this report will reflect only the number of students responding to an item on the survey.

### ***Tobacco – Students Grades 6 to 8***

A total of 634 middle school students grades 6 to 8 were surveyed during the 2007-2008 school year in Washington County. 1.6% of 6th grade students (n=2), 1.5% of 7th grade students (n=5), and 1.7% of 8th grade students (n=3) reported using tobacco at least once in the past 30 days. The mean age at which students reported that they first used tobacco was 12.0 for 6th grade students (n=126), 12.1 for 7th grade students (n=333), and 12.8 for 8th grade students (n=173). 61.1% of 6th grade students (n=77), 62.9% of 7th grade students (n=210), and 66.1% of 8th grade students (n=115) report that there is a “great risk” of people harming themselves if they smoke one or more packs of cigarettes per day. In addition, 91.3% of 6th graders (n=115), 93.7% of 7th graders (n=313), and 93.1% of 8th graders (n=162) reported that their parents would “strongly disapprove” of them smoking one or more packs of cigarettes per day.

### ***Alcohol-Related Emergency Room Visits***

In 2007, there were a total of 225 alcohol-related emergency room visits in Washington County. This is an increase from 2003 when 68 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 65% (n=147 or 65.3%) and females approximately 35% (n=78 or 34.7%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 0.9% among those aged 70 and above to a high of 33.3% among those between the ages of 40 and 49.

### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 1,140 admissions to state-funded substance abuse treatment facilities in Washington County. This is an increase from 2003 when 627 admissions were reported. Of the 1,140 admissions, approximately 74% (n=842 or 73.9%) involved males and approximately 26% (n=298 or 26.1%) involved females. With respect to race, 1,121 admissions involved Whites, 10 African Americans/Blacks, 5 American Indians, and 4 Asian Americans. There were 22 admissions that involved persons of Hispanic ethnicity. Most of the admissions included people in the 20-29 age range (see Appendix for table).

### ***Substance Related Arrests<sup>22</sup>***

In 2007, there were 723 drug arrests in Washington County, with adults accounting for 85.0% (n=613) of all drug arrests. Thirty-five percent (n=253) of arrests were for the sale and manufacturing of drugs, and 65.0% (n=470) of arrests were for the possession of drugs for adults and juveniles combined. Of all jurisdictions in Washington County, the West Bend Police Department jurisdiction had the highest number of juvenile drug arrests (n=52), and the Washington County Sheriff's Office jurisdiction had the highest number of adult drug arrests (n=355) in the county. The highest number of sales and manufacturing drug arrests among adults and juveniles was for marijuana. The highest number of drug arrests for possession among adults and juveniles was for marijuana. There were 853 OWI arrests in the county, with the highest number (n=290) occurring in the Washington County Sheriff's Office jurisdiction.

---

<sup>22</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Washington County was 98,335 and the juvenile population totaled 30,981 in 2007.





## Waukesha County Profile

### Waukesha County Highlights

- Approximately 91.0% of alcohol-related emergency room visits involved adults.
- The number of substance abuse treatment facility admissions increased from 1,517 in 2003 to 1,864 in 2007
- In 2007, there were 2,900 OWI arrests in the county.

#### ***Alcohol-Related Emergency Room Visits***

In 2007, there were a total of 490 alcohol-related emergency room visits in Waukesha County. This is a slight increase from 2003 when 482 people visited an emergency room for an alcohol-related condition. Males accounted for approximately 59% (n=290 or 59.2%) and females approximately 41% (n=200 or 40.8%) of these visits. The percent of alcohol-related emergency room visits in each age group ranged from a low of 1.0% among those aged 70 and above to a high of 24.1% among those between the ages of 40 and 49.

#### ***Substance Abuse Treatment Facility Admissions***

In 2007, there were 1,864 admissions to state-funded substance abuse treatment facilities in Waukesha County. This is an increase from 2003 when 1,517 admissions were reported. Of the 1,864 admissions, approximately 70% (n=1,312 or 70.4%) involved males and approximately 30% (n=552 or 29.6%) involved females. With respect to race, 1,792 admissions involved Whites, 57 African Americans/Blacks, 11 American Indians, and 4 Asian Americans. There were 91 admissions that involved persons of Hispanic ethnicity. Most of the admissions included people in the 20-29 age range (see Appendix for table).

#### ***Substance Related Arrests<sup>23</sup>***

In 2007, there were 1,330 drug arrests in Waukesha County, with adults accounting for 82% (n=1,092) of all drug arrests. Twenty-four percent (n=318) of arrests were for the sale and manufacturing of drugs, and 76% (n=1,012) of arrests were for the possession of drugs for adults and juveniles combined. Of all jurisdictions in Waukesha County, the Waukesha Police Department jurisdiction had the highest number of juvenile (n=50) and adult (n=423) drug arrests in the county. The highest number of sales and manufacturing drug arrests among adults was for opium/cocaine and marijuana for juveniles. The highest number of drug arrests for possession among adults and juveniles was for marijuana. There were 2,900 OWI arrests in the county, with the highest number (n=616) occurring in the Waukesha Police Department jurisdiction.

---

<sup>23</sup> Arrest data was provided by the Wisconsin Office of Justice Assistance. All information on arrest data is from the year 2007. The adult population in Waukesha County was 290,249 and the juvenile population totaled 91,444 in 2007.

**Southeastern Region**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

## Appendix A

### Tables for Southeastern Region<sup>24</sup>

**Table 19: Smoking status of mother – 2007**

	Jefferson	Kenosha	Milwaukee	Ozaukee	Racine	Walworth	Washington	Waukesha	Southeastern
<b>Smoker</b>									
Births	199	352	1,745	56	423	197	183	346	3,501
Percent	19	16	11	7	16	16	12	8	12
<b>Nonsmoker</b>					2,21				
Births	844	1,850	13,409	785	9	1,067	1,351	3,778	25,303
Percent	81	84	88	93	84	84	88	91	88
<b>Unknown</b>									
Births	0	10	41	1	10	2	3	16	83
Percent	0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5

Source: Wisconsin Department of Health Services

**Table 20: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

	Jefferson	Kenosha	Milwaukee	Ozaukee	Racine	Walworth	Washington	Waukesha	Southeastern
<b>Alcohol</b>									
Deaths	11	23	179	12	34	18	15	35	327
Rate	*	14	19	*	17	*	*	9	16
<b>Tobacco Use</b>									
Deaths	95	248	1,086	124	325	161	138	461	2,638
Rate	118	154	117	143	166	160	107	121	128
<b>Other Drugs</b>									
Deaths	4	29	170	9	25	8	7	25	277
Rate	*	18	18	*	13	*	*	7	13

Source: Wisconsin Department of Health Services. Death rate for Jefferson, Ozaukee, Walworth, and Washington counties was not provided. Death rate shown for the Southeastern Region reflects only death rates provided for Kenosha, Milwaukee, Racine, and Waukesha counties.

<sup>24</sup> Information on the Southeastern Region was derived from data provided by Wisconsin Department of Health Services. Health profile information at the county level can be found at <http://dhs.wisconsin.gov/localdata/pubhlthprofiles.htm>.

### Southeastern Region

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 21: Alcohol-related hospitalizations – 2006**

	Jefferson	Kenosha	Milwaukee	Ozaukee	Racine	Walworth	Washington	Waukesha	Southeastern
Total	122	321	2,036	194	352	158	373	772	4,328
Per 1,000 Population	1.5	2	2.2	2.2	1.8	1.6	2.9	2	2.1
Average Stay (Days)	3.9	4.1	3.9	3.3	4.1	3.2	2.7	3.3	3.7
Average Charge	\$9,427	\$9,746	\$12,512	\$8,581	\$10,460	\$8,933	\$5,378	\$7,203	\$10,184
Charge Per Capita	\$14	\$19	\$27	\$19	\$19	\$14	\$16	\$15	\$21
Age 18-44	44	160	780	91	136	68	188	324	1,791
Per 1,000 Population	1.4	2.5	2.2	3.2	1.9	1.8	4	2.5	2.3
Average Stay (Days)	3.4	3.9	3.2	2.5	3.3	3.1	2.4	2.8	3.1
Average Charge	\$7,138	\$8,789	\$9,631	\$6,051	\$8,127	\$7,651	\$4,740	\$5,087	\$7,788
Charge Per Capita	\$10	\$22	\$21	\$20	\$16	\$14	\$19	\$13	\$18
Age 45-64	63	138	1,074	82	189	78	163	367	2,154
Per 1,000 Population	3	3.5	4.9	3.1	3.7	2.9	4.7	3.4	4.1
Average Stay (Days)	3.5	4	4.2	4.1	4.5	3.3	2.8	3.7	4
Average Charge	\$9,110	\$9,848	\$14,225	\$10,663	\$12,181	\$10,185	\$5,701	\$8,443	\$11,704
Charge Per Capita	\$27	\$35	\$70	\$33	\$45	\$30	\$27	\$28	\$48

Source: Wisconsin Department of Health Services

**Table 22: Drug-related hospitalizations – 2006**

	Jefferson	Kenosha	Milwaukee	Ozaukee	Racine	Walworth	Washington	Waukesha	Southeastern
Total	30	140	1,065	74	115	67	85	293	1869
Per 1,000 Population	0.4	0.9	1.1	0.9	0.6	0.7	0.7	0.8	0.9
Average Stay (Days)	9.9	6.4	4.3	6.5	7.6	7.9	7	5.3	5.2
Average Charge	\$10,960	\$7,580	\$7,500	\$9,678	\$8,433	\$8,780	\$7,755	\$6,797	\$7,652
Charge Per Capita	\$4	\$7	\$9	\$8	\$5	\$6	\$5	\$5	\$7
Age 18-44	15	85	673	45	75	37	61	184	1,175
Per 1,000 Population	*	1.3	1.9	1.6	1.1	1	1.3	1.4	1.5*
Average Stay (Days)	*	3.6	3.7	3.9	4.2	3.3	3	3.9	3.7*
Average Charge	*	\$4,968	\$6,634	\$6,689	\$5,804	\$5,478	\$5,127	\$5,238	\$6,045*
Charge Per Capita	*	\$7	\$12	\$11	\$6	\$5	\$7	\$7	9*

Source: Wisconsin Department of Health Services. Some data for Jefferson County was not available.

## Appendix B

### Tables for Jefferson County

**Table 23: Number of alcohol-related emergency room visits by gender – 2007**

Jefferson County		
Gender	Visits	% of Total
Female	43	36.1%
Male	76	63.9%
<b>Total</b>	<b>119</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 24: Number of alcohol-related emergency room visits by age – 2007**

Jefferson County		
Age Range	Visits	% of Total
0-19	14	11.8%
20-29	23	19.3%
30-39	27	22.7%
40-49	43	36.1%
50-59	11	9.2%
60-69	0	0.0%
70+	1	0.8%
<b>Total</b>	<b>119</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 25: Number of admissions to substance abuse treatment facilities by gender – 2007**

Jefferson County		
Gender	Episodes	% of Total
Female	188	21.7%
Male	680	78.3%
<b>Total</b>	<b>868</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Jefferson County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 26: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Jefferson County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	2	0.2%
<b>Black</b>	10	1.2%
<b>American Indian</b>	4	0.5%
<b>Pacific Islander</b>	0	0.0%
<b>White</b>	852	98.2%
<b>Total</b>	<b>868</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 27: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Jefferson County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	28	3.2%
<b>Non-Hispanic</b>	840	96.8%
<b>Total</b>	<b>868</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Jefferson County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 28: Jefferson County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson Co SO	24,932	143	50	87.7%	26	89.7%	19	95.0%	5	62.5%	0	0.0%
Fort Atkinson PD	9,220	35	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Jefferson PD	5,921	26	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Lake Mills PD	4,030	13	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Palmyra PD	1,349	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Waterloo PD	2,506	3	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Watertown PD	17,616	74	7	12.3%	3	10.3%	1	5.0%	3	37.5%	0	0.0%
<b>County Total</b>	<b>65,575</b>	<b>295</b>	<b>57</b>	<b>100.0%</b>	<b>29</b>	<b>100.0%</b>	<b>20</b>	<b>100.0%</b>	<b>8</b>	<b>100.0%</b>	<b>0</b>	<b>0.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 29: Jefferson County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson Co SO	24,932	143	93	39.1%	24	53.3%	61	41.5%	2	22.2%	6	16.2%
Fort Atkinson PD	9,220	35	35	14.7%	4	8.9%	16	10.9%	6	66.7%	9	24.3%
Jefferson PD	5,921	26	26	10.9%	0	0.0%	8	5.4%	0	0.0%	18	48.6%
Lake Mills PD	4,030	13	13	5.5%	2	4.4%	9	6.1%	0	0.0%	2	5.4%
Palmyra PD	1,349	1	1	0.4%	0	0.0%	1	0.7%	0	0.0%	0	0.0%
Waterloo PD	2,506	3	3	1.3%	1	2.2%	2	1.4%	0	0.0%	0	0.0%
Watertown PD	17,616	74	67	28.2%	14	31.1%	50	34.0%	1	11.1%	2	5.4%
<b>County Total</b>	<b>65,575</b>	<b>295</b>	<b>238</b>	<b>100.0%</b>	<b>45</b>	<b>100.0%</b>	<b>147</b>	<b>100.0%</b>	<b>9</b>	<b>100.0%</b>	<b>37</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Jefferson County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 30: Jefferson County juvenile drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson Co SO	7,855	19	6	85.7%	4	100.0%	2	100.0%	0	0.0%	0	0.0%
Fort Atkinson PD	2,905	24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Jefferson PD	1,866	11	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Lake Mills PD	1,270	6	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Palmyra PD	425	4	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Waterloo PD	790	3	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Watertown PD	5,550	37	1	14.3%	0	0.0%	0	0.0%	1	100.0%	0	0.0%
<b>County Total</b>	<b>20,660</b>	<b>104</b>	<b>7</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>	<b>1</b>	<b>100.0%</b>	<b>0</b>	<b>0.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 31: Jefferson County juvenile drug possession arrests by jurisdiction – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Jefferson Co SO	7,855	19	13	13.4%	1	50.0%	12	17.6%	0	0.0%	0	0.0%
Fort Atkinson PD	2,905	24	24	24.7%	1	50.0%	13	19.1%	4	40.0%	6	35.3%
Jefferson PD	1,866	11	11	11.3%	0	0.0%	5	7.4%	0	0.0%	6	35.3%
Lake Mills PD	1,270	6	6	6.2%	0	0.0%	4	5.9%	0	0.0%	2	11.8%
Palmyra PD	425	4	4	4.1%	0	0.0%	4	5.9%	0	0.0%	0	0.0%
Waterloo PD	790	3	3	3.1%	0	0.0%	3	4.4%	0	0.0%	0	0.0%
Watertown PD	5,550	37	36	37.1%	0	0.0%	27	39.7%	6	60.0%	3	17.6%
<b>County Total</b>	<b>20,660</b>	<b>104</b>	<b>97</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>	<b>68</b>	<b>100.0%</b>	<b>10</b>	<b>100.0%</b>	<b>17</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Jefferson County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 32: Jefferson County OWI arrests – 2007**

Law Enforcement Agency	Total Population	OWI Arrests	
		Number	Percent
Jefferson Co SO	32,787	191	21.6%
Fort Atkinson PD	12,125	280	31.7%
Jefferson PD	7,787	107	12.1%
Lake Mills PD	5,300	47	5.3%
Palmyra PD	1,774	6	0.7%
Waterloo PD	3,296	31	3.5%
Watertown PD	23,166	222	25.1%
<b>County Total</b>	<b>86,235</b>	<b>884</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 33: Smoking status of mother – 2007**

Jefferson County	
<b>Smoker</b>	
Births	199
Percent	19
<b>Nonsmoker</b>	
Births	844
Percent	81
<b>Unknown</b>	
Births	0
Percent	0

Source: Wisconsin Department of Health Services

**Table 34: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

Jefferson County	
<b>Alcohol</b>	
Deaths	11
Rate	*
<b>Tobacco Use</b>	
Deaths	95
Rate	118
<b>Other Drugs</b>	
Deaths	4
Rate	*

Source: Wisconsin Department of Health Services  
Death rates not provided.



**Jefferson County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 35: Alcohol-related hospitalizations – 2006**

<b>Jefferson County</b>	
<b>Total</b>	122
<b>Per 1,000 Population</b>	1.5
<b>Average Stay (Days)</b>	3.9
<b>Average Charge</b>	\$9,427
<b>Charge Per Capita</b>	\$14
<b>Age 18-44</b>	44
<b>Per 1,000 Population</b>	1.4
<b>Average Stay (Days)</b>	3.4
<b>Average Charge</b>	\$7,138
<b>Charge Per Capita</b>	\$10
<b>Age 45-64</b>	63
<b>Per 1,000 Population</b>	3
<b>Average Stay (Days)</b>	3.5
<b>Average Charge</b>	\$9,110
<b>Charge Per Capita</b>	\$27

Source: Wisconsin Department of Health Services

**Table 36: Drug-related hospitalizations – 2006**

<b>Jefferson County</b>	
<b>Total</b>	30
<b>Per 1,000 Population</b>	0.4
<b>Average Stay (Days)</b>	9.9
<b>Average Charge</b>	\$10,960
<b>Charge Per Capita</b>	\$4
<b>Age 18-44</b>	15
<b>Per 1,000 Population</b>	*
<b>Average Stay (Days)</b>	*
<b>Average Charge</b>	*
<b>Charge Per Capita</b>	*

Source: Wisconsin Department of Health Services  
Data not available for persons ages 18 to 44.

## Appendix C

### Tables for Kenosha County

**Table 37: Number of alcohol-related emergency room visits by gender – 2007**

Kenosha County		
Gender	Visits	% of Total
Female	150	34.1%
Male	290	65.9%
<b>Total</b>	<b>440</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 38: Number of alcohol-related emergency room visits by age – 2007**

Kenosha County		
Age Range	Visits	% of Total
0-19	62	14.1%
20-29	60	13.6%
30-39	55	12.5%
40-49	146	33.2%
50-59	81	18.4%
60-69	26	5.9%
70+	10	2.3%
<b>Total</b>	<b>440</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 39: Number of admissions to substance abuse treatment facilities by gender – 2007**

Kenosha County		
Gender	Episodes	% of Total
Female	302	25.7%
Male	872	74.3%
<b>Total</b>	<b>1,174</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Kenosha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 40: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Kenosha County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	0	0.0%
<b>Black</b>	63	5.4%
<b>American Indian</b>	3	0.3%
<b>Pacific Islander</b>	0	0.0%
<b>White</b>	1,108	94.4%
<b>Total</b>	<b>1,174</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 41: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Kenosha County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	117	10.0%
<b>Non-Hispanic</b>	1,057	90.0%
<b>Total</b>	<b>1,174</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Kenosha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 42: Kenosha County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Kenosha Co SO	29,119	129	45	28.0%	26	24.3%	16	37.2%	2	22.2%	1	50.0%
Kenosha PD	72,643	455	110	68.3%	80	74.8%	23	53.5%	7	77.8%	0	0.0%
Pleasant Prairie PD	14,802	55	3	1.9%	1	0.9%	2	4.7%	0	0.0%	0	0.0%
Silver Lake PD	1,905	11	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Twin Lakes PD	4,235	28	3	1.9%	0	0.0%	2	4.7%	0	0.0%	1	50.0%
UW-Parkside	0	21	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>122,704</b>	<b>699</b>	<b>161</b>	<b>100.0%</b>	<b>107</b>	<b>100.0%</b>	<b>43</b>	<b>100.0%</b>	<b>9</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 43: Kenosha County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Kenosha Co SO	29,119	129	84	15.6%	15	18.5%	65	14.9%	4	22.2%	0	0.0%
Kenosha PD	72,643	455	345	64.1%	59	72.8%	274	62.7%	12	66.7%	0	0.0%
Pleasant Prairie PD	14,802	55	52	9.7%	4	4.9%	47	10.8%	0	0.0%	1	50.0%
Silver Lake PD	1,905	11	11	2.0%	2	2.5%	9	2.1%	0	0.0%	0	0.0%
Twin Lakes PD	4,235	28	25	4.6%	1	1.2%	21	4.8%	2	11.1%	1	50.0%
UW-Parkside	0	21	21	3.9%	0	0.0%	21	4.8%	0	0.0%	0	0.0%
<b>County Total</b>	<b>122,704</b>	<b>699</b>	<b>538</b>	<b>100.0%</b>	<b>81</b>	<b>100.0%</b>	<b>437</b>	<b>100.0%</b>	<b>18</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Kenosha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 44: Kenosha County juvenile drug sale and manufacturing arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Kenosha Co SO	9,174	24	8	19.0%	0	0.0%	7	24.1%	1	14.3%	0	0.0%
Kenosha PD	22,887	168	31	73.8%	5	100.0%	19	65.5%	6	85.7%	1	100.0%
Pleasant Prairie PD	4,663	27	2	4.8%	0	0.0%	2	6.9%	0	0.0%	0	0.0%
Silver Lake PD	600	5	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Twin Lakes PD	1,334	12	1	2.4%	0	0.0%	1	3.4%	0	0.0%	0	0.0%
UW-Parkside	0	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>38,658</b>	<b>237</b>	<b>42</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>	<b>29</b>	<b>100.0%</b>	<b>7</b>	<b>100.0%</b>	<b>1</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 45: Kenosha County juvenile drug possession arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Kenosha Co SO	9,174	24	16	8.2%	0	0.0%	14	7.7%	1	16.7%	1	50.0%
Kenosha PD	22,887	168	137	70.3%	4	100.0%	128	69.9%	5	83.3%	0	0.0%
Pleasant Prairie PD	4,663	27	25	12.8%	0	0.0%	25	13.7%	0	0.0%	0	0.0%
Silver Lake PD	600	5	5	2.6%	0	0.0%	4	2.2%	0	0.0%	1	50.0%
Twin Lakes PD	1,334	12	11	5.6%	0	0.0%	11	6.0%	0	0.0%	0	0.0%
UW-Parkside	0	1	1	0.5%	0	0.0%	1	0.5%	0	0.0%	0	0.0%
<b>County Total</b>	<b>38,658</b>	<b>237</b>	<b>195</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>	<b>183</b>	<b>100.0%</b>	<b>6</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Kenosha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 46: Kenosha County OWI arrests – 2007**

Law Enforcement Agency	Total Population	OWI Arrests	
		Number	Percent
Kenosha Co SO	38,293	351	36.8%
Kenosha PD	95,530	414	43.4%
Pleasant Prairie PD	19,465	107	11.2%
Silver Lake PD	2,505	41	4.3%
Twin Lakes PD	5,569	31	3.2%
UW-Parkside	0	11	1.2%
<b>County Total</b>	<b>161,362</b>	<b>955</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 47: Smoking status of mother – 2007**

Kenosha County	
<b>Smoker</b>	
Births	352
Percent	16
<b>Nonsmoker</b>	
Births	1850
Percent	84
<b>Unknown</b>	
Births	10
Percent	< 0.5

Source: Wisconsin Department of Health Services

**Table 48: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

Kenosha County	
<b>Alcohol</b>	
Deaths	23
Rate	14
<b>Tobacco Use</b>	
Deaths	248
Rate	154
<b>Other Drugs</b>	
Deaths	29
Rate	18

Source: Wisconsin Department of Health Services

**Kenosha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 49: Alcohol-related hospitalizations – 2006**

<b>Kenosha County</b>	
<b>Total</b>	321
<b>Per 1,000 Population</b>	2
<b>Average Stay (Days)</b>	4.1
<b>Average Charge</b>	\$9,746
<b>Charge Per Capita</b>	\$19
<b>Age 18-44</b>	160
<b>Per 1,000 Population</b>	2.5
<b>Average Stay (Days)</b>	3.9
<b>Average Charge</b>	\$8,789
<b>Charge Per Capita</b>	\$22
<b>Age 45-64</b>	138
<b>Per 1,000 Population</b>	3.5
<b>Average Stay (Days)</b>	4
<b>Average Charge</b>	\$9,848
<b>Charge Per Capita</b>	\$35

Source: Wisconsin Department of Health Services

**Table 50: Drug-related hospitalizations – 2006**

<b>Kenosha County</b>	
<b>Total</b>	140
<b>Per 1,000 Population</b>	0.9
<b>Average Stay (Days)</b>	6.4
<b>Average Charge</b>	\$7,580
<b>Charge Per Capita</b>	\$7
<b>Age 18-44</b>	85
<b>Per 1,000 Population</b>	1.3
<b>Average Stay (Days)</b>	3.6
<b>Average Charge</b>	\$4,968
<b>Charge Per Capita</b>	\$7

Source: Wisconsin Department of Health Services

## Appendix D

### Tables for Milwaukee County

**Table 51: Number of alcohol-related emergency room visits by gender – 2007**

<b>Milwaukee County</b>		
<b>Gender</b>	<b>Visits</b>	<b>% of Total</b>
<b>Female</b>	1,065	28.1%
<b>Male</b>	2,720	71.9%
<b>Total</b>	<b>3,785</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 52: Number of alcohol-related emergency room visits by age – 2007**

<b>Milwaukee County</b>		
<b>Age Range</b>	<b>Visits</b>	<b>% of Total</b>
<b>0-19</b>	221	5.8%
<b>20-29</b>	560	14.8%
<b>30-39</b>	670	17.7%
<b>40-49</b>	1,393	36.8%
<b>50-59</b>	725	19.2%
<b>60-69</b>	172	4.5%
<b>70+</b>	44	1.2%
<b>Total</b>	<b>3,785</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 53: Number of admissions to substance abuse treatment facilities by gender – 2007**

<b>Milwaukee County</b>		
<b>Gender</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Female</b>	2,636	29.0%
<b>Male</b>	6,459	71.0%
<b>Total</b>	<b>9,095</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services



**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 54: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Milwaukee County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	30	0.3%
<b>Black</b>	4,451	48.9%
<b>American Indian</b>	122	1.3%
<b>Pacific Islander</b>	1	0.01%
<b>White</b>	4,491	49.4%
<b>Total</b>	<b>9,095</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 55: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Milwaukee County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	872	9.6%
<b>Non-Hispanic</b>	8,223	90.4%
<b>Total</b>	<b>9,095</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 56: Milwaukee County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale & Manufacturing Arrests	Percent Sale & Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Milwaukee Co SO	0	38	7	0.3%	0	0.0%	6	0.9%	0	0.0%	1	0.5%
Bayside PD	3,179	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Brown Deer PD	8,908	46	5	0.2%	1	0.1%	4	0.6%	0	0.0%	0	0.0%
Cudahy PD	14,091	72	18	0.9%	1	0.1%	0	0.0%	0	0.0%	17	8.8%
Fox Point PD	5,187	9	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Franklin PD	25,383	107	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Glendale PD	9,863	41	2	0.1%	1	0.1%	1	0.2%	0	0.0%	0	0.0%
Greendale PD	10,665	80	17	0.8%	2	0.2%	7	1.1%	0	0.0%	8	4.1%
Greenfield PD	27,482	31	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Hales Corners PD	5,810	35	1	0.0%	0	0.0%	1	0.2%	0	0.0%	0	0.0%
Milwaukee PD	448,795	4,232	1,981	93.9%	1,200	97.2%	590	91.9%	28	70.0%	163	84.5%
Oak Creek PD	24,645	228	53	2.5%	16	1.3%	24	3.7%	12	30.0%	1	0.5%
River Hills PD	1,233	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Saint Francis PD	6,750	8	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Shorewood PD	10,220	33	2	0.1%	0	0.0%	0	0.0%	0	0.0%	2	1.0%
South Milwaukee PD	16,186	27	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
UW-Milwaukee	0	37	2	0.1%	0	0.0%	2	0.3%	0	0.0%	0	0.0%
Wauwatosa PD	34,926	132	7	0.3%	5	0.4%	2	0.3%	0	0.0%	0	0.0%
West Allis PD	45,937	210	11	0.5%	8	0.6%	3	0.5%	0	0.0%	0	0.0%
West Milwaukee PD	3,068	7	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Whitefish Bay PD	10,517	26	4	0.2%	1	0.1%	2	0.3%	0	0.0%	1	0.5%
<b>County Total</b>	<b>712,845</b>	<b>5,399</b>	<b>2,110</b>	<b>100.0%</b>	<b>1,235</b>	<b>100.0%</b>	<b>642</b>	<b>100.0%</b>	<b>40</b>	<b>100.0%</b>	<b>193</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 57: Milwaukee County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Milwaukee Co SO	0	38	31	0.9%	0	0.0%	31	1.3%	0	0.0%	0	0.0%
Bayside PD	3,179	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Brown Deer PD	8,908	46	41	1.2%	4	0.9%	37	1.5%	0	0.0%	0	0.0%
Cudahy PD	14,091	72	54	1.6%	1	0.2%	0	0.0%	0	0.0%	53	17.7%
Fox Point PD	5,187	9	9	0.3%	1	0.2%	7	0.3%	0	0.0%	1	0.3%
Franklin PD	25,383	107	107	3.3%	0	0.0%	0	0.0%	0	0.0%	107	35.8%
Glendale PD	9,863	41	39	1.2%	2	0.5%	36	1.5%	0	0.0%	1	0.3%
Greendale PD	10,665	80	63	1.9%	4	0.9%	39	1.6%	1	1.4%	19	6.4%
Greenfield PD	27,482	31	31	0.9%	8	1.8%	14	0.6%	9	12.5%	0	0.0%
Hales Corners PD	5,810	35	34	1.0%	3	0.7%	31	1.3%	0	0.0%	0	0.0%
Milwaukee PD	448,795	4,232	2,251	68.4%	346	78.8%	1,780	71.8%	30	41.7%	95	31.8%
Oak Creek PD	24,645	228	175	5.3%	24	5.5%	132	5.3%	19	26.4%	0	0.0%
River Hills PD	1,233	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Saint Francis PD	6,750	8	8	0.2%	0	0.0%	7	0.3%	0	0.0%	1	0.3%
Shorewood PD	10,220	33	31	0.9%	2	0.5%	24	1.0%	0	0.0%	5	1.7%
South Milwaukee PD	16,186	27	27	0.8%	5	1.1%	15	0.6%	0	0.0%	7	2.3%
UW-Milwaukee	0	37	35	1.1%	1	0.2%	33	1.3%	1	1.4%	0	0.0%
Wauwatosa PD	34,926	132	125	3.8%	13	3.0%	98	4.0%	5	6.9%	9	3.0%
West Allis PD	45,937	210	199	6.1%	24	5.5%	168	6.8%	7	9.7%	0	0.0%
West Milwaukee PD	3,068	7	7	0.2%	0	0.0%	7	0.3%	0	0.0%	0	0.0%
Whitefish Bay PD	10,517	26	22	0.7%	1	0.2%	20	0.8%	0	0.0%	1	0.3%
<b>County Total</b>	<b>712,845</b>	<b>5,399</b>	<b>3,289</b>	<b>100.0%</b>	<b>439</b>	<b>100.0%</b>	<b>2,479</b>	<b>100.0%</b>	<b>72</b>	<b>100.0%</b>	<b>299</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 58: Milwaukee County juvenile drug sale and manufacturing arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale & Manufacturing Arrests	Percent Sale & Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Milwaukee Co SO	0	6	1	0.3%	0	0.0%	1	0.6%	0	0.0%	0	0.0%
Bayside PD	1,002	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Brown Deer PD	2,807	5	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Cudahy PD	4,439	13	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Fox Point PD	1,634	4	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Franklin PD	7,997	33	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Glendale PD	3,107	11	1	0.3%	0	0.0%	1	0.6%	0	0.0%	0	0.0%
Greendale PD	3,360	39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Greenfield PD	8,658	6	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Hales Corners PD	1,830	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Milwaukee PD	141,395	962	283	95.0%	109	99.1%	152	94.4%	2	66.7%	20	83.3%
Oak Creek PD	7,765	48	3	1.0%	0	0.0%	2	1.2%	1	33.3%	0	0.0%
River Hills PD	388	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Saint Francis PD	2,127	5	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Shorewood PD	3,220	26	5	1.7%	0	0.0%	2	1.2%	0	0.0%	3	12.5%
South Milwaukee PD	5,099	26	1	0.3%	1	0.9%	0	0.0%	0	0.0%	0	0.0%
UW-Milwaukee	0	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Wauwatosa PD	11,004	28	1	0.3%	0	0.0%	1	0.6%	0	0.0%	0	0.0%
West Allis PD	14,473	85	2	0.7%	0	0.0%	2	1.2%	0	0.0%	0	0.0%
West Milwaukee PD	966	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Whitefish Bay PD	3,313	11	1	0.3%	0	0.0%	0	0.0%	0	0.0%	1	4.2%
<b>County Total</b>	<b>224,584</b>	<b>1,312</b>	<b>298</b>	<b>100.0%</b>	<b>110</b>	<b>100.0%</b>	<b>161</b>	<b>100.0%</b>	<b>3</b>	<b>100.0%</b>	<b>24</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 59: Milwaukee County juvenile drug possession arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale & Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Milwaukee Co SO	0	6	5	0.5%	0	0.0%	5	0.6%	0	0.0%	0	0.0%
Bayside PD	1,002	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Brown Deer PD	2,807	5	5	0.5%	0	0.0%	5	0.6%	0	0.0%	0	0.0%
Cudahy PD	4,439	13	13	1.3%	0	0.0%	0	0.0%	0	0.0%	13	16.3%
Fox Point PD	1,634	4	4	0.4%	0	0.0%	4	0.4%	0	0.0%	0	0.0%
Franklin PD	7,997	33	33	3.3%	0	0.0%	11	1.2%	0	0.0%	22	27.5%
Glendale PD	3,107	11	10	1.0%	0	0.0%	9	1.0%	0	0.0%	1	1.3%
Greendale PD	3,360	39	39	3.8%	0	0.0%	28	3.1%	0	0.0%	11	13.8%
Greenfield PD	8,658	6	6	0.6%	1	4.0%	4	0.4%	1	25.0%	0	0.0%
Hales Corners PD	1,830	2	2	0.2%	0	0.0%	2	0.2%	0	0.0%	0	0.0%
Milwaukee PD	141,395	962	679	67.0%	24	96.0%	644	71.2%	1	25.0%	10	12.5%
Oak Creek PD	7,765	48	45	4.4%	0	0.0%	44	4.9%	1	25.0%	0	0.0%
River Hills PD	388	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Saint Francis PD	2,127	5	5	0.5%	0	0.0%	5	0.6%	0	0.0%	0	0.0%
Shorewood PD	3,220	26	21	2.1%	0	0.0%	21	2.3%	0	0.0%	0	0.0%
South Milwaukee PD	5,099	26	25	2.5%	0	0.0%	10	1.1%	0	0.0%	15	18.8%
UW-Milwaukee	0	2	2	0.2%	0	0.0%	2	0.2%	0	0.0%	0	0.0%
Wauwatosa PD	11,004	28	27	2.7%	0	0.0%	22	2.4%	1	25.0%	4	5.0%
West Allis PD	14,473	85	83	8.2%	0	0.0%	83	9.2%	0	0.0%	0	0.0%
West Milwaukee PD	966	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Whitefish Bay PD	3,313	11	10	1.0%	0	0.0%	6	0.7%	0	0.0%	4	5.0%
<b>County Total</b>	<b>224,584</b>	<b>1,312</b>	<b>1,014</b>	<b>100.0%</b>	<b>25</b>	<b>100.0%</b>	<b>905</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>	<b>80</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 60: Milwaukee County OWI arrests – 2007**

<b>Milwaukee County 2007 OWI Arrests</b>			
<b>Law Enforcement Agency</b>	<b>Total Population</b>	<b>OWI Arrests</b>	
		<b>Number</b>	<b>Percent</b>
Milwaukee County SO	0	614	16.6%
Bayside PD	4,181	27	0.7%
Brown Deer PD	11,715	52	1.4%
Cudahy PD	18,530	213	5.8%
Fox Point PD	6,821	30	0.8%
Franklin PD	33,380	135	3.7%
Glendale PD	12,970	78	2.1%
Greendale PD	14,025	180	4.9%
Greenfield PD	36,140	141	3.8%
Hales Corners PD	7,640	94	2.5%
Milwaukee PD	590,190	991	26.8%
Oak Creek PD	32,410	167	4.5%
River Hills PD	1,621	24	0.6%
Saint Francis PD	8,877	10	0.3%
Shorewood PD	13,440	22	0.6%
South Milwaukee PD	21,285	161	4.4%
UW-Milwaukee	0	36	1.0%
Wauwatosa PD	45,930	160	4.3%
West Allis PD	60,410	500	13.5%
West Milwaukee PD	4,034	19	0.5%
Whitefish Bay PD	13,830	41	1.1%
<b>County Total</b>	<b>937,429</b>	<b>3,695</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 61: Smoking status of mother – 2007**

<b>Milwaukee County</b>	
<b>Smoker</b>	
<b>Births</b>	1,745
<b>Percent</b>	11
<b>Nonsmoker</b>	
<b>Births</b>	13,409
<b>Percent</b>	88
<b>Unknown</b>	
<b>Births</b>	41
<b>Percent</b>	< 0.5

Source: Wisconsin Department of Health Services

**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 62: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

<b>Milwaukee County</b>	
<b>Alcohol</b>	
Deaths	179
Rate	19
<b>Tobacco Use</b>	
Deaths	1,086
Rate	117
<b>Other Drugs</b>	
Deaths	170
Rate	18

Source: Wisconsin Department of Health Services

**Table 63: Alcohol-related hospitalizations – 2006**

<b>Milwaukee County</b>	
<b>Total</b>	2,036
<b>Per 1,000 Population</b>	2.2
<b>Average Stay (Days)</b>	3.9
<b>Average Charge</b>	\$12,512
<b>Charge Per Capita</b>	\$27
<b>Age 18-44</b>	780
<b>Per 1,000 Population</b>	2.2
<b>Average Stay (Days)</b>	3.2
<b>Average Charge</b>	\$9,631
<b>Charge Per Capita</b>	\$21
<b>Age 45-64</b>	1,074
<b>Per 1,000 Population</b>	4.9
<b>Average Stay (Days)</b>	4.2
<b>Average Charge</b>	\$14,225
<b>Charge Per Capita</b>	\$70

Source: Wisconsin Department of Health Services

**Milwaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 64: Drug-related hospitalizations – 2006**

<b>Milwaukee County</b>	
<b>Total</b>	1,065
<b>Per 1,000 Population</b>	1.1
<b>Average Stay (Days)</b>	4.3
<b>Average Charge</b>	\$7,500
<b>Charge Per Capita</b>	\$9
<b>Age 18-44</b>	673
<b>Per 1,000 Population</b>	1.9
<b>Average Stay (Days)</b>	3.7
<b>Average Charge</b>	\$6,634
<b>Charge Per Capita</b>	\$12

Source: Wisconsin Department of Health Services



## Appendix E

### Tables for Ozaukee County

**Table 65: Number of alcohol-related emergency room visits by gender – 2007**

Ozaukee County		
Gender	Visits	% of Total
Female	44	39.6%
Male	67	60.4%
<b>Total</b>	<b>111</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 66: Number of alcohol-related emergency room visits by age – 2007**

Ozaukee County		
Age Range	Visits	% of Total
0-19	29	26.1%
20-29	18	16.2%
30-39	17	15.3%
40-49	23	20.7%
50-59	13	11.7%
60-69	4	3.6%
70+	7	6.3%
<b>Total</b>	<b>111</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 67: Number of admissions to substance abuse treatment facilities by gender – 2007**

Ozaukee County		
Gender	Episodes	% of Total
Female	135	22.8%
Male	456	77.2%
<b>Total</b>	<b>591</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Ozaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 68: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Ozaukee County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	0	0.0%
<b>Black</b>	3	0.5%
<b>American Indian</b>	0	0.0%
<b>Pacific Islander</b>	0	0.0%
<b>White</b>	588	99.5%
<b>Total</b>	<b>591</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 69: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Ozaukee County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	1	0.2%
<b>Non-Hispanic</b>	590	99.8%
<b>Total</b>	<b>591</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Ozaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 70: Ozaukee County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Ozaukee Co SO	16,249	34	19	76.0%	11	84.6%	1	25.0%	7	87.5%	0	0.0%
Cedarburg PD	8,699	17	2	8.0%	0	0.0%	2	50.0%	0	0.0%	0	0.0%
Grafton PD	8,684	18	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Mequon PD	17,919	46	4	16.0%	2	15.4%	1	25.0%	1	12.5%	0	0.0%
Port Washington PD	8,456	23	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Saukville PD	3,301	5	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Thiensville PD	2,538	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>65,847</b>	<b>144</b>	<b>25</b>	<b>100.0%</b>	<b>13</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>	<b>8</b>	<b>100.0%</b>	<b>0</b>	<b>0.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 71: Ozaukee County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Ozaukee Co SO	16,249	34	15	12.6%	0	0.0%	13	14.8%	1	8.3%	1	7.7%
Cedarburg PD	8,699	17	15	12.6%	0	0.0%	13	14.8%	2	16.7%	0	0.0%
Grafton PD	8,684	18	18	15.1%	2	33.3%	5	5.7%	3	25.0%	8	61.5%
Mequon PD	17,919	46	42	35.3%	2	33.3%	33	37.5%	3	25.0%	4	30.8%
Port Washington PD	8,456	23	23	19.3%	1	16.7%	21	23.9%	1	8.3%	0	0.0%
Saukville PD	3,301	5	5	4.2%	1	16.7%	2	2.3%	2	16.7%	0	0.0%
Thiensville PD	2,538	1	1	0.8%	0	0.0%	1	1.1%	0	0.0%	0	0.0%
<b>County Total</b>	<b>65,847</b>	<b>144</b>	<b>119</b>	<b>100.0%</b>	<b>6</b>	<b>100.0%</b>	<b>88</b>	<b>100.0%</b>	<b>12</b>	<b>100.0%</b>	<b>13</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Ozaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 72: Ozaukee County juvenile drug sale and manufacturing arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Ozaukee Co SO	5,119	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Cedarburg PD	2,741	8	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
Grafton PD	2,736	8	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Mequon PD	5,646	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Port Washington PD	2,664	11	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Saukville PD	1,040	5	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Thiensville PD	800	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>20,745</b>	<b>34</b>	<b>2</b>	<b>100.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>2</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 73: Ozaukee County juvenile drug possession arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Ozaukee Co SO	5,119	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Cedarburg PD	2,741	8	6	18.8%	1	50.0%	4	20.0%	1	20.0%	0	0.0%
Grafton PD	2,736	8	8	25.0%	0	0.0%	2	10.0%	2	40.0%	4	80.0%
Mequon PD	5,646	2	2	6.3%	0	0.0%	2	10.0%	0	0.0%	0	0.0%
Port Washington PD	2,664	11	11	34.4%	1	50.0%	8	40.0%	1	20.0%	1	20.0%
Saukville PD	1,040	5	5	15.6%	0	0.0%	4	20.0%	1	20.0%	0	0.0%
Thiensville PD	800	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>20,745</b>	<b>34</b>	<b>32</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>	<b>20</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Ozaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 74: Ozaukee County OWI arrests – 2007**

Law Enforcement Agency	Total Population	OWI Arrests	
		Number	Percent
Ozaukee County SO	21,368	142	27.8%
Cedarburg PD	11,440	50	9.8%
Grafton PD	11,420	71	13.9%
Mequon PD	23,565	107	20.9%
Port Washington PD	11,120	72	14.1%
Saukville PD	4,341	38	7.4%
Thiensville PD	3,338	31	6.1%
<b>County Total</b>	<b>86,592</b>	<b>511</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 75: Smoking status of mother – 2007**

Ozaukee County	
<b>Smoker</b>	
Births	56
Percent	7
<b>Nonsmoker</b>	
Births	785
Percent	93
<b>Unknown</b>	
Births	1
Percent	< 0.5

Source: Wisconsin Department of Health Services

**Table 76: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

Ozaukee County	
<b>Alcohol</b>	
Deaths	12
Rate	*
<b>Tobacco Use</b>	
Deaths	124
Rate	143
<b>Other Drugs</b>	
Deaths	9
Rate	*

Source: Wisconsin Department of Health Services  
Death rates not provided.

**Ozaukee County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 77: Alcohol-related hospitalizations – 2006**

<b>Ozaukee County</b>	
<b>Total</b>	194
<b>Per 1,000 Population</b>	2.2
<b>Average Stay (Days)</b>	3.3
<b>Average Charge</b>	\$8,581
<b>Charge Per Capita</b>	\$19
<b>Age 18-44</b>	91
<b>Per 1,000 Population</b>	3.2
<b>Average Stay (Days)</b>	2.5
<b>Average Charge</b>	\$6,051
<b>Charge Per Capita</b>	\$20
<b>Age 45-64</b>	82
<b>Per 1,000 Population</b>	3.1
<b>Average Stay (Days)</b>	4.1
<b>Average Charge</b>	\$10,663
<b>Charge Per Capita</b>	\$33

Source: Wisconsin Department of Health Services

**Table 78: Drug-related hospitalizations – 2006**

<b>Ozaukee County</b>	
<b>Total</b>	74
<b>Per 1,000 Population</b>	0.9
<b>Average Stay (Days)</b>	6.5
<b>Average Charge</b>	\$9,678
<b>Charge Per Capita</b>	\$8
<b>Age 18-44</b>	45
<b>Per 1,000 Population</b>	1.6
<b>Average Stay (Days)</b>	3.9
<b>Average Charge</b>	\$6,689
<b>Charge Per Capita</b>	\$11

Source: Wisconsin Department of Health Services

## Appendix F

### Tables for Racine County

**Table 79: Number of alcohol-related emergency room visits by gender – 2007**

Racine County		
Gender	Visits	% of Total
Female	129	27.8%
Male	335	72.2%
<b>Total</b>	<b>464</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 80: Number of alcohol-related emergency room visits by age – 2007**

Racine County		
Age Range	Visits	% of Total
0-19	50	10.8%
20-29	74	15.9%
30-39	73	15.7%
40-49	181	39.0%
50-59	62	13.4%
60-69	18	3.9%
70+	6	1.3%
<b>Total</b>	<b>464</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 81: Number of admissions to substance abuse treatment facilities by gender – 2007**

Racine County		
Gender	Episodes	% of Total
Female	367	22.4%
Male	1,270	77.6%
<b>Total</b>	<b>1,637</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Racine County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 82: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Racine County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	10	0.6%
<b>Black</b>	224	13.7%
<b>American Indian</b>	5	0.3%
<b>Pacific Islander</b>	2	0.1%
<b>White</b>	1,396	85.3%
<b>Total</b>	<b>1,637</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 83: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Racine County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	214	13.1%
<b>Non-Hispanic</b>	1,423	86.9%
<b>Total</b>	<b>1,637</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services



**Racine County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 84: Racine County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Racine Co SO	31,324	210	55	38.5%	21	48.8%	31	63.3%	2	25.0%	1	2.3%
Burlington PD	7,962	52	6	4.2%	2	4.7%	4	8.2%	0	0.0%	0	0.0%
Burlington Town PD	4,922	8	2	1.4%	1	2.3%	1	2.0%	0	0.0%	0	0.0%
Caledonia PD	19,018	21	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Mount Pleasant PD	19,551	40	16	11.2%	4	9.3%	6	12.2%	6	75.0%	0	0.0%
Racine PD	60,880	501	64	44.8%	15	34.9%	7	14.3%	0	0.0%	42	97.7%
Sturtevant PD	4,712	7	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>148,369</b>	<b>839</b>	<b>143</b>	<b>100.0%</b>	<b>43</b>	<b>100.0%</b>	<b>49</b>	<b>100.0%</b>	<b>8</b>	<b>100.0%</b>	<b>43</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 85: Racine County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Racine Co SO	31,324	210	155	22.3%	26	23.9%	128	27.9%	1	0.9%	0	0.0%
Burlington PD	7,962	52	46	6.6%	6	5.5%	40	8.7%	0	0.0%	0	0.0%
Burlington Town PD	4,922	8	6	0.9%	3	2.8%	3	0.7%	0	0.0%	0	0.0%
Caledonia PD	19,018	21	21	3.0%	3	2.8%	15	3.3%	1	0.9%	2	10.0%
Mount Pleasant PD	19,551	40	24	3.4%	2	1.8%	21	4.6%	1	0.9%	0	0.0%
Racine PD	60,880	501	437	62.8%	68	62.4%	245	53.5%	106	97.2%	18	90.0%
Sturtevant PD	4,712	7	7	1.0%	1	0.9%	6	1.3%	0	0.0%	0	0.0%
<b>County Total</b>	<b>148,369</b>	<b>839</b>	<b>696</b>	<b>100.0%</b>	<b>109</b>	<b>100.0%</b>	<b>458</b>	<b>100.0%</b>	<b>109</b>	<b>100.0%</b>	<b>20</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Racine County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 86: Racine County juvenile drug sale and manufacturing arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Racine Co SO	9,869	6	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Burlington PD	2,508	15	5	21.7%	1	25.0%	4	30.8%	0	0.0%	0	0.0%
Burlington Town PD	1,551	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Caledonia PD	5,992	3	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Mount Pleasant PD	6,159	26	11	47.8%	3	75.0%	6	46.2%	2	100.0%	0	0.0%
Racine PD	19,180	57	7	30.4%	0	0.0%	3	23.1%	0	0.0%	4	100.0%
Sturtevant PD	1,485	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>46,744</b>	<b>108</b>	<b>23</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>	<b>13</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 87: Racine County juvenile drug possession arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Racine Co SO	9,869	6	6	7.1%	0	0.0%	6	8.1%	0	0.0%	0	0.0%
Burlington PD	2,508	15	10	11.8%	2	33.3%	8	10.8%	0	0.0%	0	0.0%
Burlington Town PD	1,551	1	1	1.2%	0	0.0%	1	1.4%	0	0.0%	0	0.0%
Caledonia PD	5,992	3	3	3.5%	0	0.0%	3	4.1%	0	0.0%	0	0.0%
Mount Pleasant PD	6,159	26	15	17.6%	0	0.0%	15	20.3%	0	0.0%	0	0.0%
Racine PD	19,180	57	50	58.8%	4	66.7%	41	55.4%	3	100.0%	2	100.0%
Sturtevant PD	1,485	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>46,744</b>	<b>108</b>	<b>85</b>	<b>100.0%</b>	<b>6</b>	<b>100.0%</b>	<b>74</b>	<b>100.0%</b>	<b>3</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Racine County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 88: Racine County OWI arrests – 2007**

Law Enforcement Agency	Total Population	OWI Arrests	
		Number	Percent
Racine County SO	41,193	394	39.7%
Burlington PD	10,470	91	9.2%
Burlington Town PD	6,473	40	4.0%
Caledonia PD	25,010	213	21.5%
Mount Pleasant PD	25,710	127	12.8%
Racine PD	80,060	68	6.8%
Sturtevant PD	6,197	60	6.0%
<b>County Total</b>	<b>195,113</b>	<b>993</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 89: Smoking status of mother – 2007**

Racine County	
<b>Smoker</b>	
Births	423
Percent	16
<b>Nonsmoker</b>	
Births	2,219
Percent	84
<b>Unknown</b>	
Births	10
Percent	< 0.5

Source: Wisconsin Department of Health Services

**Table 90: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

Racine County	
<b>Alcohol</b>	
Deaths	34
Rate	17
<b>Tobacco Use</b>	
Deaths	325
Rate	166
<b>Other Drugs</b>	
Deaths	25
Rate	13

Source: Wisconsin Department of Health Services

**Racine County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 91: Alcohol-related hospitalizations – 2006**

<b>Racine County</b>	
<b>Total</b>	352
<b>Per 1,000 Population</b>	1.8
<b>Average Stay (Days)</b>	4.1
<b>Average Charge</b>	\$10,460
<b>Charge Per Capita</b>	\$19
<b>Age 18-44</b>	136
<b>Per 1,000 Population</b>	1.9
<b>Average Stay (Days)</b>	3.3
<b>Average Charge</b>	\$8,127
<b>Charge Per Capita</b>	\$16
<b>Age 45-64</b>	189
<b>Per 1,000 Population</b>	3.7
<b>Average Stay (Days)</b>	4.5
<b>Average Charge</b>	\$12,181
<b>Charge Per Capita</b>	\$45

Source: Wisconsin Department of Health Services

**Table 92: Drug-related hospitalizations – 2006**

<b>Racine County</b>	
<b>Total</b>	115
<b>Per 1,000 Population</b>	0.6
<b>Average Stay (Days)</b>	7.6
<b>Average Charge</b>	\$8,433
<b>Charge Per Capita</b>	\$5
<b>Age 18-44</b>	75
<b>Per 1,000 Population</b>	1.1
<b>Average Stay (Days)</b>	4.2
<b>Average Charge</b>	\$5,804
<b>Charge Per Capita</b>	\$6

Source: Wisconsin Department of Health Services

## Appendix G

### Tables for Walworth County

**Table 93: Number of alcohol-related emergency room visits by gender – 2007**

Walworth County		
Gender	Visits	% of Total
Female	91	29.9%
Male	213	70.1%
<b>Total</b>	<b>304</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 94: Number of alcohol-related emergency room visits by age – 2007**

Walworth County		
Age Range	Visits	% of Total
0-19	26	8.6%
20-29	59	19.4%
30-39	64	21.1%
40-49	80	26.3%
50-59	51	16.8%
60-69	18	5.9%
70+	6	2.0%
<b>Total</b>	<b>304</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 95: Number of admissions to substance abuse treatment facilities by gender – 2007**

Walworth County		
Gender	Episodes	% of Total
Female	327	25.3%
Male	964	74.7%
<b>Total</b>	<b>1,291</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 96: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Walworth County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	1	0.1%
<b>Black</b>	8	0.6%
<b>American Indian</b>	1	0.1%
<b>Pacific Islander</b>	0	0.0%
<b>White</b>	1,281	99.2%
<b>Total</b>	<b>1,291</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 97: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Walworth County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	134	10.4%
<b>Non-Hispanic</b>	1,157	89.6%
<b>Total</b>	<b>1,291</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 98: Walworth County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Walworth Co SO	21,799	367	48	67.6%	16	72.7%	28	68.3%	0	0.0%	4	80.0%
Bloomfield PD	4,822	63	2	2.8%	1	4.5%	1	2.4%	0	0.0%	0	0.0%
Darien Village PD	1,249	19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Delavan PD	6,416	35	1	1.4%	1	4.5%	0	0.0%	0	0.0%	0	0.0%
Delavan Town PD	3,691	32	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
East Troy PD	3,054	12	4	5.6%	0	0.0%	4	9.8%	0	0.0%	0	0.0%
East Troy Town PD	2,992	9	3	4.2%	0	0.0%	3	7.3%	0	0.0%	0	0.0%
Elkhorn PD	6,781	38	2	2.8%	0	0.0%	0	0.0%	2	66.7%	0	0.0%
Fontana PD	1,419	16	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Geneva Town PD	3,883	14	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Genoa City PD	2,066	18	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Lake Geneva PD	5,776	49	1	1.4%	0	0.0%	1	2.4%	0	0.0%	0	0.0%
UW-Whitewater	0	18	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Walworth PD	2,014	4	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Whitewater PD	10,621	72	8	11.3%	4	18.2%	3	7.3%	0	0.0%	1	20.0%
Williams Bay PD	2,041	16	2	2.8%	0	0.0%	1	2.4%	1	33.3%	0	0.0%
<b>County Total</b>	<b>78,624</b>	<b>782</b>	<b>71</b>	<b>100.0%</b>	<b>22</b>	<b>100.0%</b>	<b>41</b>	<b>100.0%</b>	<b>3</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 99: Walworth County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Walworth Co SO	21,799	367	319	44.9%	15	39.5%	302	49.8%	0	0.0%	2	3.5%
Bloomfield PD	4,822	63	61	8.6%	2	5.3%	23	3.8%	4	40.0%	32	56.1%
Darien Village PD	1,249	19	19	2.7%	0	0.0%	14	2.3%	0	0.0%	5	8.8%
Delavan PD	6,416	35	34	4.8%	4	10.5%	30	5.0%	0	0.0%	0	0.0%
Delavan Town PD	3,691	32	32	4.5%	2	5.3%	29	4.8%	0	0.0%	1	1.8%
East Troy PD	3,054	12	8	1.1%	1	2.6%	7	1.2%	0	0.0%	0	0.0%
East Troy Town PD	2,992	9	6	0.8%	0	0.0%	6	1.0%	0	0.0%	0	0.0%
Elkhorn PD	6,781	38	36	5.1%	4	10.5%	29	4.8%	0	0.0%	3	5.3%
Fontana PD	1,419	16	16	2.3%	1	2.6%	7	1.2%	0	0.0%	8	14.0%
Geneva Town PD	3,883	14	14	2.0%	0	0.0%	14	2.3%	0	0.0%	0	0.0%
Genoa City PD	2,066	18	18	2.5%	2	5.3%	16	2.6%	0	0.0%	0	0.0%
Lake Geneva PD	5,776	49	48	6.8%	6	15.8%	42	6.9%	0	0.0%	0	0.0%
UW-Whitewater	0	18	18	2.5%	0	0.0%	18	3.0%	0	0.0%	0	0.0%
Walworth PD	2,014	4	4	0.6%	0	0.0%	1	0.2%	3	30.0%	0	0.0%
Whitewater PD	10,621	72	64	9.0%	1	2.6%	57	9.4%	3	30.0%	3	5.3%
Williams Bay PD	2,041	16	14	2.0%	0	0.0%	11	1.8%	0	0.0%	3	5.3%
<b>County Total</b>	<b>78,624</b>	<b>782</b>	<b>711</b>	<b>100.0%</b>	<b>38</b>	<b>100.0%</b>	<b>606</b>	<b>100.0%</b>	<b>10</b>	<b>100.0%</b>	<b>57</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance



**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 100: Walworth County juvenile drug sale and manufacturing arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Walworth Co SO	6,868	31	2	22.2%	0	0.0%	2	40.0%	0	0.0%	0	0.0%
Bloomfield PD	1,519	17	1	11.1%	0	0.0%	1	20.0%	0	0.0%	0	0.0%
Darien Village PD	394	4	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Delavan PD	2,021	22	1	11.1%	0	0.0%	1	20.0%	0	0.0%	0	0.0%
Delavan Town PD	1,163	5	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
East Troy PD	962	3	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
East Troy Town PD	942	3	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Elkhorn PD	2,136	21	3	33.3%	0	0.0%	1	20.0%	0	0.0%	2	100.0%
Fontana PD	447	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Geneva Town PD	1,224	6	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Genoa City PD	651	8	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Lake Geneva PD	1,820	19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
UW-Whitewater	0	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Walworth PD	635	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Whitewater PD	3,346	14	2	22.2%	1	100.0%	0	0.0%	1	100.0%	0	0.0%
Williams Bay PD	643	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>24,771</b>	<b>156</b>	<b>9</b>	<b>100.0%</b>	<b>1</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>	<b>1</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 101: Walworth County juvenile drug possession arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Walworth Co SO	6,868	31	29	19.7%	0	0.0%	29	21.8%	0	0.0%	0	0.0%
Bloomfield PD	1,519	17	16	10.9%	0	0.0%	9	6.8%	0	0.0%	7	53.8%
Darien Village PD	394	4	4	2.7%	0	0.0%	2	1.5%	0	0.0%	2	15.4%
Delavan PD	2,021	22	21	14.3%	0	0.0%	21	15.8%	0	0.0%	0	0.0%
Delavan Town PD	1,163	5	5	3.4%	0	0.0%	5	3.8%	0	0.0%	0	0.0%
East Troy PD	962	3	3	2.0%	0	0.0%	3	2.3%	0	0.0%	0	0.0%
East Troy Town PD	942	3	3	2.0%	0	0.0%	3	2.3%	0	0.0%	0	0.0%
Elkhorn PD	2,136	21	18	12.2%	0	0.0%	16	12.0%	0	0.0%	2	15.4%
Fontana PD	447	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Geneva Town PD	1,224	6	6	4.1%	0	0.0%	6	4.5%	0	0.0%	0	0.0%
Genoa City PD	651	8	8	5.4%	0	0.0%	8	6.0%	0	0.0%	0	0.0%
Lake Geneva PD	1,820	19	19	12.9%	0	0.0%	19	14.3%	0	0.0%	0	0.0%
UW-Whitewater	0	1	1	0.7%	0	0.0%	1	0.8%	0	0.0%	0	0.0%
Walworth PD	635	2	2	1.4%	0	0.0%	0	0.0%	1	100.0%	1	7.7%
Whitewater PD	3,346	14	12	8.2%	0	0.0%	11	8.3%	0	0.0%	1	7.7%
Williams Bay PD	643	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>County Total</b>	<b>24,771</b>	<b>156</b>	<b>147</b>	<b>100.0%</b>	<b>0</b>	<b>0.0%</b>	<b>133</b>	<b>100.0%</b>	<b>1</b>	<b>100.0%</b>	<b>13</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 102: Walworth County OWI arrests – 2007**

Law Enforcement Agency	Total Population	OWI Arrests	
		Number	Percent
Walworth County SO	28,667	143	14.5%
Bloomfield PD	6,341	67	6.8%
Darien Village PD	1,643	15	1.5%
Delavan PD	8,437	44	4.5%
Delavan Town PD	4,854	83	8.4%
East Troy PD	4,016	44	4.5%
East Troy Town PD	3,934	26	2.6%
Elkhorn PD	8,917	71	7.2%
Fontana PD	1,866	36	3.7%
Geneva Town PD	5,107	61	6.2%
Genoa City PD	2,717	39	4.0%
Lake Geneva PD	7,596	105	10.6%
UW-Whitewater	0	20	2.0%
Walworth PD	2,649	46	4.7%
Whitewater PD	13,967	173	17.5%
Williams Bay PD	2,684	13	1.3%
<b>County Total</b>	<b>103,395</b>	<b>986</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 103: Smoking status of mother – 2007**

Walworth County	
<b>Smoker</b>	
Births	197
Percent	16
<b>Nonsmoker</b>	
Births	1067
Percent	84
<b>Unknown</b>	
Births	2
Percent	< 0.5

Source: Wisconsin Department of Health Services

**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 104: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

<b>Walworth County</b>	
<b>Alcohol</b>	
<b>Deaths</b>	18
<b>Rate</b>	*
<b>Tobacco Use</b>	
<b>Deaths</b>	161
<b>Rate</b>	160
<b>Other Drugs</b>	
<b>Deaths</b>	8
<b>Rate</b>	*

Source: Wisconsin Department of Health Services  
Death rates not provided.

**Table 105: Alcohol-related hospitalizations – 2006**

<b>Walworth County</b>	
<b>Total</b>	158
<b>Per 1,000 Population</b>	1.6
<b>Average Stay (Days)</b>	3.2
<b>Average Charge</b>	\$8,933
<b>Charge Per Capita</b>	\$14
<b>Age 18-44</b>	68
<b>Per 1,000 Population</b>	1.8
<b>Average Stay (Days)</b>	3.1
<b>Average Charge</b>	\$7,651
<b>Charge Per Capita</b>	\$14
<b>Age 45-64</b>	78
<b>Per 1,000 Population</b>	2.9
<b>Average Stay (Days)</b>	3.3
<b>Average Charge</b>	\$10,185
<b>Charge Per Capita</b>	\$30

Source: Wisconsin Department of Health Services

**Walworth County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 106: Drug-related hospitalizations – 2006**

<b>Walworth County</b>	
<b>Total</b>	67
<b>Per 1,000 Population</b>	0.7
<b>Average Stay (Days)</b>	7.9
<b>Average Charge</b>	\$8,780
<b>Charge Per Capita</b>	\$6
<b>Age 18-44</b>	37
<b>Per 1,000 Population</b>	1
<b>Average Stay (Days)</b>	3.3
<b>Average Charge</b>	\$5,478
<b>Charge Per Capita</b>	\$5

Source: Wisconsin Department of Health Services

## Appendix H

### Tables for Washington County

**Table 107: Number of alcohol-related emergency room visits by gender – 2007**

Gender	Visits	% of Total
Female	78	34.7%
Male	147	65.3%
<b>Total</b>	<b>225</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 108: Number of alcohol-related emergency room visits by age – 2007**

Washington County		
Age Range	Visits	% of Total
0-19	26	11.6%
20-29	31	13.8%
30-39	38	16.9%
40-49	75	33.3%
50-59	44	19.6%
60-69	9	4.0%
70+	2	0.9%
<b>Total</b>	<b>225</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 109: Number of admissions to substance abuse treatment facilities by gender – 2007**

Washington County		
Gender	Episodes	% of Total
Female	298	26.1%
Male	842	73.9%
<b>Total</b>	<b>1,140</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Washington County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 110: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Washington County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	4	0.4%
<b>Black</b>	10	0.9%
<b>American Indian</b>	5	0.4%
<b>Pacific Islander</b>	0	0.0%
<b>White</b>	1,121	98.3%
<b>Total</b>	<b>1,140</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 111: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Washington County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	22	1.9%
<b>Non-Hispanic</b>	1,118	98.1%
<b>Total</b>	<b>1,140</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Washington County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 112: Washington County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Washington Co SO	38,855	355	209	88.2%	47	70.1%	89	96.7%	45	97.8%	28	87.5%
Germantown PD	15,018	61	3	1.3%	3	4.5%	0	0.0%	0	0.0%	0	0.0%
Hartford PD	10,304	37	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Jackson PD	4,678	14	2	0.8%	0	0.0%	0	0.0%	1	2.2%	1	3.1%
Kewaskum PD	3,008	8	1	0.4%	0	0.0%	1	1.1%	0	0.0%	0	0.0%
Slinger PD	3,492	12	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
West Bend PD	22,980	126	22	9.3%	17	25.4%	2	2.2%	0	0.0%	3	9.4%
<b>County Total</b>	<b>98,335</b>	<b>613</b>	<b>237</b>	<b>100.0%</b>	<b>67</b>	<b>100.0%</b>	<b>92</b>	<b>100.0%</b>	<b>46</b>	<b>100.0%</b>	<b>32</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 113: Washington County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Washington Co SO	38,855	355	146	38.8%	22	57.9%	99	36.3%	25	56.8%	0	0.0%
Germantown PD	15,018	61	58	15.4%	9	23.7%	49	17.9%	0	0.0%	0	0.0%
Hartford PD	10,304	37	37	9.8%	4	10.5%	31	11.4%	1	2.3%	1	4.8%
Jackson PD	4,678	14	12	3.2%	1	2.6%	6	2.2%	0	0.0%	5	23.8%
Kewaskum PD	3,008	8	7	1.9%	0	0.0%	3	1.1%	4	9.1%	0	0.0%
Slinger PD	3,492	12	12	3.2%	2	5.3%	10	3.7%	0	0.0%	0	0.0%
West Bend PD	22,980	126	104	27.7%	0	0.0%	75	27.5%	14	31.8%	15	71.4%
<b>County Total</b>	<b>98,335</b>	<b>613</b>	<b>376</b>	<b>100.0%</b>	<b>38</b>	<b>100.0%</b>	<b>273</b>	<b>100.0%</b>	<b>44</b>	<b>100.0%</b>	<b>21</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance



**Washington County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 114: Washington County juvenile drug sale and manufacturing arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Washington Co SO	12,241	23	7	43.8%	0	0.0%	6	85.7%	1	33.3%	0	0.0%
Germantown PD	4,732	13	1	6.3%	0	0.0%	0	0.0%	0	0.0%	1	100.0%
Hartford PD	3,246	14	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Jackson PD	1,474	2	1	6.3%	0	0.0%	0	0.0%	1	33.3%	0	0.0%
Kewaskum PD	948	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Slinger PD	1,100	4	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
West Bend PD	7,240	52	7	43.8%	5	100.0%	1	14.3%	1	33.3%	0	0.0%
<b>County Total</b>	<b>30,981</b>	<b>110</b>	<b>16</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>	<b>7</b>	<b>100.0%</b>	<b>3</b>	<b>100.0%</b>	<b>1</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 115: Washington County juvenile drug possession arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Washington Co SO	12,241	23	16	17.0%	0	0.0%	15	19.0%	0	0.0%	1	12.5%
Germantown PD	4,732	13	12	12.8%	2	100.0%	10	12.7%	0	0.0%	0	0.0%
Hartford PD	3,246	14	14	14.9%	0	0.0%	14	17.7%	0	0.0%	0	0.0%
Jackson PD	1,474	2	1	1.1%	0	0.0%	0	0.0%	1	20.0%	0	0.0%
Kewaskum PD	948	2	2	2.1%	0	0.0%	1	1.3%	1	20.0%	0	0.0%
Slinger PD	1,100	4	4	4.3%	0	0.0%	4	5.1%	0	0.0%	0	0.0%
West Bend PD	7,240	52	45	47.9%	0	0.0%	35	44.3%	3	60.0%	7	87.5%
<b>County Total</b>	<b>30,981</b>	<b>110</b>	<b>94</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>	<b>79</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>	<b>8</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Washington County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 116: Racine County OWI arrests – 2007**

Law Enforcement Agency	Total Population	OWI Arrests	
		Number	Percent
Washington County SO	51,096	290	34.0%
Germantown PD	19,750	88	10.3%
Hartford PD	13,550	194	22.7%
Jackson PD	6,152	35	4.1%
Kewaskum PD	3,956	17	2.0%
Slinger PD	4,592	20	2.3%
West Bend PD	30,220	209	24.5%
<b>County Total</b>	<b>129,316</b>	<b>853</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 117: Smoking status of mother – 2007**

Washington County	
<b>Smoker</b>	
Births	183
Percent	12
<b>Nonsmoker</b>	
Births	1351
Percent	88
<b>Unknown</b>	
Births	3
Percent	< 0.5

Source: Wisconsin Department of Health Services

**Table 118: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

Washington County	
<b>Alcohol</b>	
Deaths	15
Rate	*
<b>Tobacco Use</b>	
Deaths	138
Rate	107
<b>Other Drugs</b>	
Deaths	7
Rate	*

Source: Wisconsin Department of Health Services  
Death rates not provided.

**Washington County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 119: Alcohol-related hospitalizations – 2006**

<b>Washington County</b>	
<b>Total</b>	373
<b>Per 1,000 Population</b>	2.9
<b>Average Stay (Days)</b>	2.7
<b>Average Charge</b>	\$5,378
<b>Charge Per Capita</b>	\$16
<b>Age 18-44</b>	188
<b>Per 1,000 Population</b>	4
<b>Average Stay (Days)</b>	2.4
<b>Average Charge</b>	\$4,740
<b>Charge Per Capita</b>	\$19
<b>Age 45-64</b>	163
<b>Per 1,000 Population</b>	4.7
<b>Average Stay (Days)</b>	2.8
<b>Average Charge</b>	\$5,701
<b>Charge Per Capita</b>	\$27

Source: Wisconsin Department of Health Services

**Table 120: Drug-related hospitalizations – 2006**

<b>Washington County</b>	
<b>Total</b>	85
<b>Per 1,000 Population</b>	0.7
<b>Average Stay (Days)</b>	7
<b>Average Charge</b>	\$7,755
<b>Charge Per Capita</b>	\$5
<b>Age 18-44</b>	61
<b>Per 1,000 Population</b>	1.3
<b>Average Stay (Days)</b>	3
<b>Average Charge</b>	\$5,127
<b>Charge Per Capita</b>	\$7

Source: Wisconsin Department of Health Services

# Appendix I

## Tables for Waukesha County

**Table 121: Number of alcohol-related emergency room visits by gender – 2007**

Gender	Visits	% of Total
Female	200	40.8%
Male	290	59.2%
<b>Total</b>	<b>490</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 122: Number of alcohol-related emergency room visits by age – 2007**

Waukesha County		
Age Range	Visits	% of Total
0-19	85	17.3%
20-29	106	21.6%
30-39	81	16.5%
40-49	118	24.1%
50-59	72	14.7%
60-69	23	4.7%
70+	5	1.0%
<b>Total</b>	<b>490</b>	<b>100.0%</b>

Source: Wisconsin Hospital Association

**Table 123: Number of admissions to substance abuse treatment facilities by gender – 2007**

Waukesha County		
Gender	Episodes	% of Total
Female	552	29.6%
Male	1,312	70.4%
<b>Total</b>	<b>1,864</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 124: Number of admissions to substance abuse treatment facilities by race – 2007**

<b>Waukesha County</b>		
<b>Race</b>	<b>Episodes</b>	<b>% of Total</b>
<b>Asian</b>	4	0.2%
<b>Black</b>	57	3.1%
<b>American Indian</b>	11	0.6%
<b>Pacific Islander</b>	0	0.0%
<b>White</b>	1792	96.1%
<b>Total</b>	<b>1,864</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Table 125: Number of admissions to substance abuse treatment facilities by ethnicity – 2007**

<b>Waukesha County</b>		
	<b>Episodes</b>	<b>% of Total</b>
<b>Hispanic</b>	91	4.9%
<b>Non-Hispanic</b>	1,773	95.1%
<b>Total</b>	<b>1,864</b>	<b>100.0%</b>

Source: Wisconsin Department of Health Services

**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 126: Waukesha County adult drug sale and manufacturing arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Waukesha Co SO	66,245	78	32	11.3%	6	4.5%	21	22.3%	3	11.5%	2	6.7%
Brookfield PD	30,250	91	10	3.5%	0	0.0%	4	4.3%	0	0.0%	6	20.0%
Brookfield Town PD	4,863	8	3	1.1%	2	1.5%	0	0.0%	0	0.0%	1	3.3%
Butler PD	1,383	33	6	2.1%	0	0.0%	2	2.1%	0	0.0%	4	13.3%
Chenequa PD	449	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Delafield PD	5,249	14	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Eagle PD	1,400	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Elm Grove PD	4,689	18	1	0.4%	0	0.0%	0	0.0%	0	0.0%	1	3.3%
Hartland PD	6,435	80	13	4.6%	1	0.8%	4	4.3%	0	0.0%	8	26.7%
Menomonee Falls PD	26,197	59	4	1.4%	0	0.0%	3	3.2%	0	0.0%	1	3.3%
Mukwonago PD	5,178	27	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Muskego PD	17,475	32	1	0.4%	0	0.0%	1	1.1%	0	0.0%	0	0.0%
New Berlin PD	30,006	75	6	2.1%	2	1.5%	1	1.1%	2	7.7%	1	3.3%
North Prairie	1,468	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Oconomowoc PD	10,764	43	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Oconomowoc Town PD	6,215	10	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Pewaukee City PD	9,619	53	2	0.7%	0	0.0%	2	2.1%	0	0.0%	0	0.0%
Pewaukee PD	6,809	36	9	3.2%	0	0.0%	3	3.2%	0	0.0%	6	20.0%
Summit PD	3,937	9	1	0.4%	0	0.0%	1	1.1%	0	0.0%	0	0.0%
Waukesha PD	51,618	423	194	68.8%	121	91.7%	52	55.3%	21	80.8%	0	0.0%
<b>County Total</b>	<b>290,249</b>	<b>1,092</b>	<b>282</b>	<b>100.0%</b>	<b>132</b>	<b>100.0%</b>	<b>94</b>	<b>100.0%</b>	<b>26</b>	<b>100.0%</b>	<b>30</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 127: Waukesha County adult drug possession arrests by jurisdiction – 2007**

Jurisdiction	Adult Population	Total Drug Arrests	Possession Arrests	Percent Possession	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Waukesha Co SO	66,245	78	46	5.7%	7	7.0%	35	5.7%	0	0.0%	4	6.0%
Brookfield PD	30,250	91	81	10.0%	14	14.0%	62	10.1%	0	0.0%	5	7.5%
Brookfield Town PD	4,863	8	5	0.6%	0	0.0%	3	0.5%	0	0.0%	2	3.0%
Butler PD	1,383	33	27	3.3%	0	0.0%	27	4.4%	0	0.0%	0	0.0%
Chenequa PD	449	2	2	0.2%	0	0.0%	2	0.3%	0	0.0%	0	0.0%
Delafield PD	5,249	14	14	1.7%	0	0.0%	12	2.0%	0	0.0%	2	3.0%
Eagle PD	1,400	1	1	0.1%	0	0.0%	1	0.2%	0	0.0%	0	0.0%
Elm Grove PD	4,689	18	17	2.1%	4	4.0%	11	1.8%	0	0.0%	2	3.0%
Hartland PD	6,435	80	67	8.3%	5	5.0%	53	8.6%	0	0.0%	9	13.4%
Menomonee Falls PD	26,197	59	55	6.8%	2	2.0%	46	7.5%	1	3.6%	6	9.0%
Mukwonago PD	5,178	27	27	3.3%	0	0.0%	2	0.3%	0	0.0%	25	37.3%
Muskego PD	17,475	32	31	3.8%	6	6.0%	18	2.9%	3	10.7%	4	6.0%
New Berlin PD	30,006	75	69	8.5%	2	2.0%	59	9.6%	3	10.7%	5	7.5%
North Prairie	1,468	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Oconomowoc PD	10,764	43	43	5.3%	9	9.0%	34	5.5%	0	0.0%	0	0.0%
Oconomowoc Town PD	6,215	10	10	1.2%	1	1.0%	9	1.5%	0	0.0%	0	0.0%
Pewaukee City PD	9,619	53	51	6.3%	6	6.0%	43	7.0%	2	7.1%	0	0.0%
Pewaukee PD	6,809	36	27	3.3%	1	1.0%	23	3.7%	0	0.0%	3	4.5%
Summit PD	3,937	9	8	1.0%	2	2.0%	6	1.0%	0	0.0%	0	0.0%
Waukesha PD	51,618	423	229	28.3%	41	41.0%	169	27.5%	19	67.9%	0	0.0%
<b>County Total</b>	<b>290,249</b>	<b>1,092</b>	<b>810</b>	<b>100.0%</b>	<b>100</b>	<b>100.0%</b>	<b>615</b>	<b>100.0%</b>	<b>28</b>	<b>100.0%</b>	<b>67</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 128: Waukesha County juvenile drug sale and manufacturing arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Sale and Manufacturing Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Waukesha Co SO	20,871	26	10	27.8%	1	33.3%	5	33.3%	4	57.1%	0	0.0%
Brookfield PD	9,530	30	9	25.0%	0	0.0%	1	6.7%	0	0.0%	8	72.7%
Brookfield Town PD	1,532	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Butler PD	436	2	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Chenequa PD	142	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Delafield PD	1,654	2	1	2.8%	0	0.0%	1	6.7%	0	0.0%	0	0.0%
Eagle PD	441	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Elm Grove PD	1,477	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Hartland PD	2,028	12	1	2.8%	0	0.0%	0	0.0%	0	0.0%	1	9.1%
Menomonee Falls PD	8,253	18	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Mukwonago PD	1,631	24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Muskego PD	5,505	17	2	5.6%	0	0.0%	1	6.7%	0	0.0%	1	9.1%
New Berlin PD	9,454	15	3	8.3%	0	0.0%	1	6.7%	2	28.6%	0	0.0%
North Prairie	463	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Oconomowoc PD	3,391	24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Oconomowoc Town PD	1,958	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Pewaukee City PD	3,031	3	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Pewaukee PD	2,145	14	1	2.8%	0	0.0%	0	0.0%	0	0.0%	1	9.1%
Summit PD	1,240	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Waukesha PD	16,262	50	9	25.0%	2	66.7%	6	40.0%	1	14.3%	0	0.0%
<b>County Total</b>	<b>91,444</b>	<b>238</b>	<b>36</b>	<b>100.0%</b>	<b>3</b>	<b>100.0%</b>	<b>15</b>	<b>100.0%</b>	<b>7</b>	<b>100.0%</b>	<b>11</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance



**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 129: Waukesha County juvenile drug possession arrests – 2007**

Jurisdiction	Juvenile Population	Total Drug Arrests	Possession Arrests	Percent Sale and Manufacturing	Opium/Cocaine	Percent Opium/Cocaine	Marijuana	Percent Marijuana	Synthetic Narcotics	Percent Synthetic Narcotics	Other	Percent Other
Waukesha Co SO	20,871	26	16	7.9%	2	20.0%	10	6.3%	3	75.0%	1	3.3%
Brookfield PD	9,530	30	21	10.4%	0	0.0%	21	13.3%	0	0.0%	0	0.0%
Brookfield Town PD	1,532	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Butler PD	436	2	2	1.0%	0	0.0%	2	1.3%	0	0.0%	0	0.0%
Chenequa PD	142	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Delafield PD	1,654	2	1	0.5%	0	0.0%	1	0.6%	0	0.0%	0	0.0%
Eagle PD	441	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Elm Grove PD	1,477	1	1	0.5%	0	0.0%	0	0.0%	0	0.0%	1	3.3%
Hartland PD	2,028	12	11	5.4%	0	0.0%	11	7.0%	0	0.0%	0	0.0%
Menomonee Falls PD	8,253	18	18	8.9%	0	0.0%	17	10.8%	1	25.0%	0	0.0%
Mukwonago PD	1,631	24	24	11.9%	0	0.0%	2	1.3%	0	0.0%	22	73.3%
Muskego PD	5,505	17	15	7.4%	1	10.0%	8	5.1%	0	0.0%	6	20.0%
New Berlin PD	9,454	15	12	5.9%	1	10.0%	11	7.0%	0	0.0%	0	0.0%
North Prairie	463	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Oconomowoc PD	3,391	24	24	11.9%	3	30.0%	21	13.3%	0	0.0%	0	0.0%
Oconomowoc Town PD	1,958	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Pewaukee City PD	3,031	3	3	1.5%	0	0.0%	3	1.9%	0	0.0%	0	0.0%
Pewaukee PD	2,145	14	13	6.4%	0	0.0%	13	8.2%	0	0.0%	0	0.0%
Summit PD	1,240	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Waukesha PD	16,262	50	41	20.3%	3	30.0%	38	24.1%	0	0.0%	0	0.0%
<b>County Total</b>	<b>91,444</b>	<b>238</b>	<b>202</b>	<b>100.0%</b>	<b>10</b>	<b>100.0%</b>	<b>158</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>	<b>30</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 130: Waukesha County OWI arrests – 2007**

Law Enforcement	Total	OWI Arrests	
		Number	Percent
Waukesha County SO	87,116	276	9.5%
Brookfield PD	39,780	262	9.0%
Brookfield Town PD	6,395	38	1.3%
Butler PD	1,819	44	1.5%
Chenequa PD	591	23	0.8%
Delafield PD	6,903	26	0.9%
Eagle PD	1,841	19	0.7%
Elm Grove PD	6,166	42	1.4%
Hartland PD	8,463	175	6.0%
Menomonee Falls PD	34,450	206	7.1%
Mukwonago PD	6,809	90	3.1%
Muskego PD	22,980	152	5.2%
New Berlin PD	39,460	508	17.5%
North Prairie	1,931	5	0.2%
Oconomowoc PD	14,155	76	2.6%
Oconomowoc Town PD	8,173	80	2.8%
Pewaukee City PD	12,650	180	6.2%
Pewaukee PD	8,954	64	2.2%
Summit PD	5,177	18	0.6%
Waukesha PD	67,880	616	21.2%
<b>County Total</b>	<b>381,693</b>	<b>2,900</b>	<b>100.0%</b>

Source: Wisconsin Office of Justice Assistance

**Table 131: Smoking status of mother – 2007**

Waukesha County	
<b>Smoker</b>	
Births	346
Percent	8
<b>Nonsmoker</b>	
Births	3778
Percent	91
<b>Unknown</b>	
Births	16
Percent	< 0.5

Source: Wisconsin Department of Health Services

**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 132: Alcohol and drug abuse as underlying or contributing cause of death – 2007**

<b>Waukesha County</b>	
<b>Alcohol</b>	
Deaths	35
Rate	9
<b>Tobacco Use</b>	
Deaths	461
Rate	121
<b>Other Drugs</b>	
Deaths	25
Rate	7

Source: Wisconsin Department of Health Services

**Table 133: Alcohol-related hospitalizations – 2006**

<b>Waukesha County</b>	
<b>Total</b>	772
<b>Per 1,000 Population</b>	2
<b>Average Stay (Days)</b>	3.3
<b>Average Charge</b>	\$7,203
<b>Charge Per Capita</b>	\$15
<b>Age 18-44</b>	324
<b>Per 1,000 Population</b>	2.5
<b>Average Stay (Days)</b>	2.8
<b>Average Charge</b>	\$5,087
<b>Charge Per Capita</b>	\$13
<b>Age 45-64</b>	367
<b>Per 1,000 Population</b>	3.4
<b>Average Stay (Days)</b>	3.7
<b>Average Charge</b>	\$8,443
<b>Charge Per Capita</b>	\$28

Source: Wisconsin Department of Health Services

**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets

**Table 134: Drug-related hospitalizations – 2006**

<b>Waukesha County</b>	
<b>Total</b>	293
<b>Per 1,000</b>	0.8
<b>Average Stay</b>	5.3
<b>Average Charge</b>	\$6,797
<b>Charge Per Capita</b>	\$5
<b>Age 18-44</b>	184
<b>Per 1,000</b>	1.4
<b>Average Stay</b>	3.9
<b>Average Charge</b>	\$5,238
<b>Charge Per Capita</b>	\$7

Source: Wisconsin Department of Health Services



**Waukesha County**

Sources: Wisconsin Department of Health Services, Office of Justice Assistance, County Substance Abuse Administrative Reports and Data Sets